

For Inhibition of Growth of Trees, Shrubs and Ivy

The Following Shrubs Can Be Treated vet. lycacantha Myrica Vitexmas Vitellium Euxenia + Mesopitum
at ... Agral

Apply 1 gallon of 5% Maleic hydrazide to 100 sq. ft. of water. Spray this concentration to wet all surfaces.

Wet all surfaces of leaves and bark. Consult the manufacturer's directions for the equivalent dilution. **Material:** Hydrazide

...the
... ..
... ..

When to Spray Trees and Shrubs: Best time to spray is in early morning or late evening. Do not spray on windy days or when temperature is below 50°F or above 90°F. Do not spray on plants that are stressed or diseased. Do not spray on plants that are in bloom. Do not spray on plants that are near water. Do not spray on plants that are near children or pets. Do not spray on plants that are near electrical wires. Do not spray on plants that are near buildings. Do not spray on plants that are near roads. Do not spray on plants that are near water bodies. Do not spray on plants that are near airports. Do not spray on plants that are near schools. Do not spray on plants that are near hospitals. Do not spray on plants that are near nursing homes. Do not spray on plants that are near prisons. Do not spray on plants that are near government buildings. Do not spray on plants that are near military bases. Do not spray on plants that are near airports. Do not spray on plants that are near schools. Do not spray on plants that are near hospitals. Do not spray on plants that are near nursing homes. Do not spray on plants that are near prisons. Do not spray on plants that are near government buildings. Do not spray on plants that are near military bases.

1. The first step in the process is to identify the problem or issue that needs to be addressed. This involves gathering information and understanding the context of the problem.

1. The first of these is the fact that the Commission has not yet received any information from the Government of the United Kingdom regarding the results of its investigation into the alleged activities of the British Intelligence Service in the United States.

Overseeding Ryegrass in Bermuda Grass

...the

2. *Water* - Microbeads in 100 gallons of water per acre - Spring 2000.

EQUIPMENT TO APPLY 3 MALEIC HYDRAZIDE

[illegible]

There were no significant differences between the two groups in the number of subjects who were injured, injured and treated and, therefore, no further analysis was performed.

the β -phase of the polymer. The β -phase is a crystalline phase of the polymer, and the α -phase is an amorphous phase of the polymer. The β -phase is a crystalline phase of the polymer, and the α -phase is an amorphous phase of the polymer.

MALE AND FEMALE

* Diethanolamine salt of 6-hydroxy-3(2H)-pyridazinone . . . 58%
INERT INGREDIENTS: 42%

* Hereinafter called diethanolamine salt of maleic hydrazide.
Equivalent to 30% maleic hydrazide. One gallon contains 3 pounds
as maleic hydrazide.

Distributed By: SMITH-DOUGLASS

Division of Borden Chemical, Borden Inc
Norfolk, Virginia 23501



ACCEPTED
JAN 2 1914
18557

TOTAL 100%

CAUTION: KEEP OUT OF REACH OF CHILDREN

Distributed By: SMITH-DOUGLASS
Division of Borden Chemical, Borden Inc
Norfolk, Virginia 23501