ACTIVE INFORMATION		FIRST AID Skin and eyes: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Ingestion: If swallowed drink milk, egg whites, gelatin solution, or, if these are not available, large quantities of water. Avoid alcohol. Call a physician Note to physician: Probable mucosel damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression an convulsion may be needed.
C16 — 10%) dimethyl benzyl ammonia chlorides	z	Directions for Use-General Classification
inert ingredients		DISPOSAL: Do not reuse empty container. Wrap container and put in trash collection.
KEEP OUT OF REACH OF CHILDREN NAR 1980 DANGER UNDER TWO AND	2 4 1	<ol> <li>Add one package (2 uz.) of powered Cleaner- Sanitizer II to a gallon of svarm water (about 120 F)</li> <li>Immerse soiled safety equipment in the solution and scrub gently and thoroughly with a soft brush until clean</li> </ol>
EPA Est. No. 40626-PA-01 contents 2 0z	۴.,	3 Rinse in clean warm water (about 120°F) and then air dry CAUTION: Cleaning and sanitizing at the recom-
EPA Reg. No. 4204-4 set wt Flex do Flex Martin - Charles		mended 120°F temperature will avoid overheating and distortion of parts which necessitate replacement

-

1

ł

ł

4

1

ł

part no. 34337

1\_

1

## for personal safety equipment

ikyi (Cu — 50%, Cu — 40%, Cu — 10%) dimethyi bauzyi

ert ingredients ...... 45.3%

KEEP OUT OF REACH OF CHILDREN

see side panels for additional

precautionary statements

EPA Est. No. 40628-PA-01

push in either end and tear out

active ingredients:

DANGER

For cleaning and sanitizing personal protective equipment such as respirators, gas masks, breathing apparatus, goggles, spectacles, faceshields, hearing protectors, and protective headwear.


\_1

4

-1

Cleaner-Sanitizer II is bacteriostatic. Residual bacteriostatic film inhibits the growth of bacteria and at recommended use dilution (2 oz./gal.), retains its germicidal efficiency in hard water up to 500 ppm hardness as calcium and magnesium. Will not deteriorate with age.

Cleaner-Sanitizer 11 is noncorrosive in use dilutions. Contains no mineral abrasives. Will not deteriorate rubber, plastic, glass or metal parts.



Pastaged for MINE SAFETY APPLIANCES COMPANY PITTSBURGH PENNSYLVANIA, U.S.A., 15208 contents 12 pkgs. 2 oz. ea. net wt.

1

51

55

. a

,-

1\_

ACCEPTED

1 4 MAR 1980

UNDER THE FEDERAL INERCTIONS FUNGICIDE AND SOMETICIDE ACTORAL FOR FOONOMIC POISON BOUTTO FOR FOONOMIC POISON BOUTTO FD UNDER NO. 47.04-4

## First Aid

\_1

<sup>-</sup>1

Skin and eyes: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician.

Ingestion: If swallowed drink milk, egg whites, gelatin solution, or, if these are not available, large quantities of water. Avoid alcohol. Call a physician.

Note to physician: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Directions for Use — General Classification It is a viciation of Federal 1

It is a viciation of Federal Law to use this product in a manner incons with its labeling.

## Storage and Disposal

Prohibitions: Do not contaminate water, food or feed by storage disposal. Open burning and dumping prohibited.

Disposal: Do not reuse empty container. Wrap container and put trash collection.

1. Add one package (2 oz.) of powdered Cleaner-Sanitizer II

2. Immerse soiled safety equipment in the solution and s

gallon of warm water (about 120°F).

Hazards to Humans and Domestic Animals

## DANGER

Do not get in eyes, on skin or on clothing. Causes severe skin irritation, especially to broken skin. Causes eye damage. Harmful if swallowed. Wear goggles or faceshield and rubber gloves when handling this product. Remove and wash contaminated clothing. ı<sup>—</sup>

<u>د</u>

н

L

C

57

1 4 MAR 1980

1

. . i

gently and thoroughly with a soft brush until clean. 3. Rinse in clean warm water (about 120°F) and then air dr

> Caution: Cleaning and sanitizing at the recommend 120°F temperature will avoid overheating and dist tion of parts which would necessitate replacement

		8 '_
id nd eyes: In case of contact, immediately flush ayes ith plenty of water for at least 15 minutes. For eye physician.		Directions for Use — General Classification It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.
on: If swallowed drink milk, egg whites, gelatin s or, if these are not available, large quantities Avoid alcohol. Call a physician. o physician: Probable mucosal damage may contrai the use of gastric lavage. Measures against circul tock, respiratory depression and convulsion may f	of n- a-	Storage and Disposal Prohibitions: Do not contaminate water, food or feed by storage or disposal. Open burning and dumping prohibited. Bisposal: Bo not reuse empty container. Wrap container and put in trash collection.
is to Humans and Domestic Animals GER get in eyes, on skin or on clothing. Causes skin irritation, especially to broken skin.	1 4 MAR 1980	1. Add one package (2 oz.) of powdered Cleaner-Sanitizer II to a gallon of warm water (about 120°F).
eye damage. Harmful if swallowed. Wear or faceshield and rubber gloves when handl- fis product. Remove and wash contaminated iq.	, , , , , ,	Caution: Cleaning and sanitizing at the recommended 120°F temperature will avoid overheating and distor- tion of parts which would necessitate replacement.

71

57

. :

j,

·\_\_\_

-

58

: