


PA 1 112 11-11 1/2 11 11 3



MSA
Cleaner-Sanitizer II

active ingredients:

ethyl (C₁₄ — 50%, C₁₅ — 40%
 C₁₅ — 10%) dimethyl benzyl
 ammonia chlorides 2.5%
 inert ingredients 97.5%
 total 100%

KEEP OUT OF REACH OF CHILDREN

DANGER

see back panel and carton for additional precautionary statements

EPA Est. No. 48676-PA-01 contents
 2 Oz.
 EPA Reg. No. 4204-4 net wt.

PKGD FOR
 MINE SAFETY APPLIANCES COMPANY
 PITTSBURGH PENNSYLVANIA U.S.A. 15270

FIRST AID

Skin and eyes In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician.

Ingestion If swallowed drink milk, egg whites, gelatin solution, or, if these are not available, large quantities of water. Avoid alcohol. Call a physician.

Note to physician. Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.


Directions for Use-General Classification

DISPOSAL: Do not reuse empty container. Wrap container and put in trash collection.

1. Add one package (2 oz.) of powdered Cleaner Sanitizer II to a gallon of warm water (about 120°F).
2. Immerse soiled safety equipment in the solution and scrub gently and thoroughly with a soft brush until clean.
3. Rinse in clean warm water (about 120°F) and then air dry.

CAUTION: Cleaning and sanitizing at the recommended 120°F temperature will avoid overheating and distortion of parts which necessitate replacement.

MSA (L) Rev. 9 002707



Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

2 oz. Package

BEST AVAILABLE COPY

273

EPA PA


For cleaning and sanitizing personal protective equipment such as respirators, gas masks, breathing apparatus, goggles, spectacles, facehields, hearing protectors and protective headwear.

Cleaner-Sanitizer N at recommended use dilution, (2 oz./gal.), retains its germicidal efficiency in hard water up to 500 ppm hardness as calcium and magnesium.

Cleaner-Sanitizer N is noncorrosive in use dilutions. Will not deteriorate rubber, plastic, glass, or metal parts.

Bactericidal strength of Cleaner-Sanitizer N has been verified by A.O.A.C. Use Dilution Confirmation Test against the organisms *Salmonella choleraesuis* and *Staphylococcus aureus*.

Cleaner-Sanitizer N will not deteriorate with age.



part no.
34337

for personal safety equipment

active ingredients:

alkyl (C ₁₂ — 50%, C ₁₇ — 40%, C ₁₈ — 10%) dimethyl benzyl ammonium chlorides	2.5%
inert ingredients	97.5%
total	100%

KEEP OUT OF REACH OF CHILDREN

DANGER

see side panels for additional precautionary statements

EPA Est. No. 40626-PA-01

←

push in either end and tear out

→

EPA Reg. No. 4304-6

Produced for
MINE SAFETY APPLIANCES COMPANY
PITTSBURGH, PENNSYLVANIA, U.S.A. 15233

contents
12 pkgs.
2 oz. ea.
net wt.

Carton

BEST AVAILABLE COPY

EPA

1000

First Aid

Skin and eyes: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician.

Ingestion: If swallowed drink milk, egg whites, gelatin solution, or, if these are not available, large quantities of water. Avoid alcohol. Call a physician.

Note to physician: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Hazards to Humans and Domestic Animals

DANGER

Do not get in eyes, on skin or on clothing. Causes severe skin irritation, especially to broken skin. Causes eye damage. Harmful if swallowed. Wear goggles or faceshield and rubber gloves when handling this product. Remove and wash contaminated clothing.

Carton

Directions for Use—

General Classification

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Storage and Disposal

Prohibitions: Do not contaminate water, food or feed by storage or disposal. Open burning and dumping prohibited.

Disposal: Do not reuse empty container. Wrap container and put in trash collection.

1. Add one package (2 oz.) of powdered Cleaner-Sanitizer II to a gallon of warm water (about 120°F).
2. Immerse soiled safety equipment in the solution and scrub gently and thoroughly with a soft brush until clean.
3. Rinse in clean warm water (about 120°F) and then air dry.

Caution: Cleaning and sanitizing at the recommended 120°F temperature will avoid overheating and distortion of parts which would necessitate replacement.

BEST AVAILABLE COPY

PRECAUTIONARY STATEMENTS

Hazards to Humans: May Be Harmful If Swallowed. Avoid contact with skin and eyes. Avoid contamination of feed and foodstuffs.
Environmental Hazards: This product is toxic to fish. Do not apply directly to water or wetlands. Do not contaminate water by disposal of wastes.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Do not induce vomiting. Aspiration may be a hazard. Give vegetable oil demulcents. Call physician or your Poison Control Center if large volume has been swallowed. **If In Eyes:** Flush with plenty of water. **If On Skin:** Remove contaminated clothing. Wash affected area with soap and water. Launder clothing before reuse. **If Inhaled:** Remove from contaminated atmosphere.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Rockland "Sponge-On" Fly Killer is especially formulated for mixing with water and sponging on horses.

Mix 1 pint of "Sponge-On" with 9 pints of water to make 1 1/4 gallons. Stir before using. Sponge on at rate of 1 pint to 1 quart of mixed solution per animal, depending on the size of the animal.

Sponge mixed solution on portions of the hair coat in the region of the ears, neck, back (except under saddle), belly and legs, as last step in grooming procedure or when flies are troublesome.

For Stable Flies, House Flies, Horse Flies, Deer Flies and Face Flies: Apply at 3 day intervals or as necessary to give continued protection.

For Horn Flies, Mosquitoes and Gnats: Apply at 3 day intervals or as necessary.

Dilution Table for Small Amounts: Mix 3 tablespoons with sufficient water to make 1 pint. Mix 3 oz. with sufficient water to make 1 quart. Mix 12 oz. with sufficient water to make 1 gallon.

A pint bottle of Rockland "Sponge-On" Fly Killer is sufficient to treat up to 10 horses or one horse for a month at 3 day intervals.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **Storage:** Store unused material, in original, closed container only, in a locked storage area out of reach of children and animals.

Disposal: Do not reuse empty container. Securely wrap in several layers of newspaper and discard in trash.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.



Rockland

Rockland Chemical Co., Inc.
West Caldwell, N.J. 07006 USA

#C14416MU

00-93-01

W-443

PM 31

4204-1

PS 203

CLF

1/31/90

DATA

MSA
Cleaner-Sanitizer II

active ingredients:

alkyl (C₁₆ — 50%, C₁₈ — 40%
 C₁₈ — 10%) dimethyl benzyl
 ammonium chlorides 2.5%
 inert ingredients 97.5%
 total 100%

KEEP OUT OF REACH OF CHILDREN

DANGER

see back panel and carton for additional precautionary statements

EPA Est. No. 40626-PA-01 contents
 2 Oz.
 EPA Reg. No. 4294-4 net wt.

MADE FOR
 MINE SAFETY APPLIANCES COMPANY
 PITTSBURGH PENNSYLVANIA U.S.A. 15270

FIRST AID

Skin and eyes: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician.

Ingestion: If swallowed drink milk, egg whites, gelatin solution, or, if these are not available, large quantities of water. Avoid alcohol. Call a physician.

Note to physician: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Directions for Use - General Classification

DISPOSAL: Do not reuse empty container. Wrap container and put in trash collection.


1. Add one package (2 oz.) of powdered Cleaner-Sanitizer II to a gallon of warm water (about 120°F).
2. Immerse soiled safety equipment in the solution and scrub gently and thoroughly with a soft brush until clean.
3. Rinse in clean warm water (about 120°F) and then air dry.

CAUTION: Cleaning and sanitizing at the recommended 120°F temperature will avoid overheating and distortion of parts which necessitate replacement.

MSA 41 Rev. 8 MSA/7

BEST AVAILABLE COPY

2 oz. Package



For cleaning and sanitizing personal protective equipment such as respirators, gas masks, breathing apparatus, goggles, spectacles, face shields, hearing protectors and protective headwear.

Cleaner-Sanitizer N at recommended use dilution, (2 oz./gal.), retains its germicidal efficiency in hard water up to 500 ppm hardness as calcium and magnesium.


Cleaner-Sanitizer N is noncorrosive in use dilutions. Will not deteriorate rubber, plastic, glass, or metal parts.

Bactericidal strength of Cleaner-Sanitizer N has been verified by A.O.A.C. Use Dilution Confirmation Test against the organisms *Salmonella choleraesuis* and *Staphylococcus aureus*.

Cleaner-Sanitizer N will not deteriorate with age.

BEST AVAILABLE COPY

Carton



part no.
34337

for personal safety equipment

active ingredients:

alkyl (C ₁₁ — 50%, C ₁₂ — 40%, C ₁₃ — 10%) dimethyl benzyl ammonia chlorides	2.5%
inert ingredients	97.5%
total	100%

KEEP OUT OF REACH OF CHILDREN
DANGER
see side panels for additional precautionary statements

EPA Est. No. 40628-PA-01

← push in either end and tear out →

EPA Reg. No. 4204-4

Packaged for
MINE SAFETY APPLIANCES COMPANY
PITTSBURGH, PENNSYLVANIA, U.S.A. 15230

contents
12 pkgs.
2 oz. ea.
net wt.