

barcolene

# ALGICIDE 42

**FOR SWIMMING POOL ALGAE CONTROL**  
**42% CONCENTRATE**

Barcolene Algicide 42 is a new and more efficient solution for killing and controlling various types of algae, including black algae and other common types. In pool dilutions, it will not damage tile, concrete, or metal. Used regularly, it leaves pools free of visible algae, and keeps pool water fresh and clear.

<b>ACTIVE INGREDIENTS:</b> n-Alkyl (60% C <sub>14</sub> , 30% C <sub>16</sub> , 5% C <sub>12</sub> , 5% C <sub>18</sub> )	
dimethyl benzyl ammonium chlorides	35.28%
n-dialkyl (60% C <sub>14</sub> , 30% C <sub>16</sub> , 5% C <sub>12</sub> , 5% C <sub>18</sub> ) methyl benzyl	
ammonium chlorides	6.72%
<b>INERT INGREDIENTS</b>	<u>58.00%</u>
	100.0%

**DANGER:** Keep out of reach of children. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

See first aid statement on back panel.

128 FL. OZ. (1 GAL.)

**THE BARCOLENE COMPANY** Swimming Pool Division  
**HOLBROOK, MASS. 02343**

USDA Registration No. 4206-9 ©1965 Made in U.S.A.

### DIRECTIONS FOR USE

**FIRST DOSE:** Add one quart of Algicide 42 for each 50,000 gallons of water in the pool. If algae growth is visible, then repeat initial dose, after removing algal debris with pool vacuum cleaner. Any patches of dead algae should be removed by scrubbing with a brush.

**FOLLOW-UP DOSES:** Every 5 to 7 days, add half a pint (one cup) of Algicide 42 to each 50,000 gallons of water. In public pools, add half a pint daily for every 100 bathers using the pool the preceding day.

**DRAINING AND REFILLING:** Repeat the first dose of one quart per 50,000 gallons of water each time the pool is drained and refilled.

**NOTE:** To determine the number of gallons of water in your pool, use this formula, with distances measured in feet:

For round pools - multiply diameter by diameter by depth of water by 5.9.

For rectangular pools - multiply length by width by depth of water by 7½.

**FIRST AID:** In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, do not induce vomiting, drink large quantities of fluid and call a physician immediately.

This product is toxic to fish. Do not discharge treated effluent into lakes, streams or ponds.

Rinse empty container thoroughly with water and discard.

ACCEPTED

May 5 - 1971

42069

comment

ACCEPTED WITH COMMENTS