


[4206-16]

B
BARCOLENE
**HOUSE &
GARDEN
BUG KILLER**



IN & AROUND
THE HOME
GARDEN
PATIO

ACTIVE INGREDIENTS:

Pyrethrins	25%
*Piperonyl butoxide, technical	50%
*N-octyl bicycloheptene dicarboximide	50%
Petroleum distillate	8.75%
	10.00%
INERT INGREDIENTS:	90.00%
Total	100.00%

*Consists of .40% (butyl arbutyl 16-propylpiperonyl ether and .10% related compounds.

*MGK 26.1 Insecticide Synergist, U.S. Pat. Off. No. 2,545,283 and 2,545,287.

DIRECTIONS

SHAKE BEFORE USE. HOLD CONTAINER UPRIGHT. APPLY IN SHORT BURSTS.

INDOORS: To kill Flies, Mosquitoes, gnats, Wasps and Flying Moths: Close all doors and windows and direct spray upward into center of room with a slow, sweeping motion. Spray 5-10 seconds for average room. Keep nozzle 3 feet from surfaces. Keep room closed for 15 minutes after spraying.

To kill Roaches, Waterbugs, Silverfish, Crickets and Ants: Spray baseboards, cracks, crevices, moist areas, and openings around sinks and pipes for their hiding places, hitting the insects directly. Spray ant hills and ant trails over window and door sills and other locations.

For house plants, spray in short bursts, holding the can 18 inches from foliage for such plants as English Ivy and African Violets. Spray both sides of the leaves lightly. Do not wet. Repeat as often as necessary. Kills aphids, plant lice, Spider Mites, Exposed Thrips, Lace Bugs and Certain Other Insects.

OUTDOORS: For bugs on such plants as Asters, Azaleas, Begonias, Chrysanthemums, Dahlias, Delphiniums, Gladioli, Iris, Marigolds, Petunias, Roses and Snapdragons. Also for bugs on Evergreens and Small Ornamental Deciduous Trees, Shrubs and Vines.

When sprayed directly on insects this spray kills sucking insects such as Aphids, Leafhoppers, Spotted Mites, Thrips (exposed), and Lace Bugs. Kills chewing insects such as Caterpillars, Mexican Bean Beetles, Climbing Cutworms and Japanese beetles when sprayed directly.

For best results spray in evening or on a cloudy day when air is still. Use slow sweeping motion. Keep can 18 inches from plants. Avoid wetting foliage with the spray. Spray rows at the rate of 1 foot per second. For heavy growth spray row on both sides. Repeat when needed. Spray with caution on young plants and new growth. Do not spray when temperature exceeds 90°F.

Cover exposed food and utensils.

CAUTION: Keep out of reach of children. Contents under pressure. Store upright in a cool place, not over 120°F. Do not place on hot surface. Do not puncture can. May stain finished surfaces if sprayed too heavily.

USDA REG. NO. 1-10-11

ACCEPTED
OCT 13 1971
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR LOCALITY REGISTERED
ED UNDER NO. 1-10-11 SUBJECT
TO ATTACHED COMMENTS.

CAUTION: KEEP OUT OF REACH OF CHILDREN
See back panel for additional cautions