

MAR 2 1 1972 MAR 2 1 1972 WASCIDE AND HODENTIC OR ECONOMIC POUSON RE

DIRECTIONS FOR USE

GENERAL WEED AND GRASS CONTROL: HI-YIELD DECIMATE® + SUR-FACTANT is found effective for controlling Johnson Grass, Goose Grass, Cocklebur, Nutgrass, and Green and Yellow Fortail along drainage ditchbenks, right-of-ways, implement storage yards and similar non-crop areas where cultivation is not practical.

RECOMMENDED RATES FOR GENERAL WEED CONTROL: To treat one acre mix 4 pints of HI-YIELD DECIMATE® + SURFACTANT with 10-20 gallons of water. Apply as a spray, thoroughly wetting foliage and stems of weeds to be killed. Spot treatments to control re-growth may be necessary.

NON-WARRANTY: Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this meterial not in strict accordance with directions given herewith.

CAUTION: Harmful if swallowed. Avoid contact with skin. Wash hands after using. Avoid breathing of dust or spray mist. Avoid contamination of feed and foodstuffs. Keep away from children and domestic animals. Keep children and animals off treated areas until washed into soil.

Do not contaminate water used by wildlife or aquatic life or water used for domestic or irrigation purposes.

ANTIDOTE: If taken internally, induce vomiting and call a physician at once.

EPA Reg. No. 4272-75

DIRECTIONS FOR USE IN COTTON

COTTON: HI-YIELD DECIMATE® + SURFACTANT is useful for the control of Johnson Grass and similar weeds in cotton. Keep spray off cotton foliage. Surfactant is already added for convenience of using.

RECOMMENDED RATE FOR USE IN COTTON: To treat an acre of cotton on the basis of 40° rows the following rates are recommended:

TYPE OF APPLICATION: DIRECTED, ONLY ON WEEDS

	Amount of	Gallons
Band	DECIMATE® + SURFACTANT	of water
Size	per acre	per acre
12" Band	11/s Pints	12 gallons
14" Band	12/5 Pints	14 gallons

Apply as a post emergence DiRECTED spray to weeds when cotton is at least 3" high.Nozzles should be adjusted to direct the spray to weeds to allow maximum coverage of weeds with no contact of cotton foliage. (See Diagram)



Off center fan type nozzle 100 mesh screen. 25 lb. pressure. Approximately 5 inc - 3 from ground. THIS DIAGRAM IS
CFFERED AS A GUIDE
ONLY IN USING
DECIMATE® + SURFACTANT

Oiling shoes and insecticide sprayers can be modified to apply DECIMATE® + SURFACTANT using diagram as a guide.

CLEAN application equipment after each use by flushing with water.

WASTE DISPOSAL: Rinse spray equipment and containers and dispose of liquid wastes in a pit in non-crop lands located away from water supplies.

DO NOT APPLY AFTER FIRST BLOOM. DO NOT GRAZE OR FEED FORAGE FROM TREATED AREAS TO LIVESTOCK.

DO NOT RE-USE CONTAINER. DESTROY WHEN EMPTY.

DO NOT USE OR STORE IN OR AROUND THE HOME. DO NOT GRAZE OR FEED FORAGE FROM TREATED AREAS TO LIVESTOCK