

PM 19


4306-10

1/4

SCRATCHEX

FLEA & TICK POWDER

for dogs
& cats



**PROOF OF KILLS FLEAS, TICKS, LICE
KILLS FAST - KEEPS ON ALL FUR**

DEODORIZES

while it kills fleas, ticks, lice

LONG-LASTING

to help prevent reinfestation

EASY-TO-USE

plastic bottle for even application

**CAUTION: SEE BACK
PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS
KEEP OUT OF REACH OF CHILDREN**

ACCEPTED

MAR 15 1988

Under the Federal Insecticide,
Fungicide, and Fumigant Act,
as amended, this pesticide
registered under
EPA Reg. No. 4306-10

BEST AVAILABLE COPY

2/4

SCRATCHEX[®] FLEA & TICK POWDER for dogs & cats

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. It is good practice to apply product in an open, well-ventilated area and to wash hands after each use. Holding container close to and over the animal, apply product liberally (but not excessively) by gently shaking. Beginning at the head and moving back toward the tail, using your hand, work the powder down to the skin. Also treat the paws and legs. Avoid getting product in pet's eyes. Repeat this application once per week, as needed. For more frequent use, first consult a veterinarian.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed. Avoid breathing dust. Harmful if absorbed through skin and can cause moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Do not use on pregnant, nursing, sick, old or debilitated pets, or puppies and kittens under 3 months old. Although rare, some pets may be sensitive to this product. Always observe your pet for unusual changes in behavior and appearance. If changes occur, discontinue use and bathe pet with soap and water. If changes continue, contact a veterinarian immediately. Do not use this product in combination with other cholinesterase-inhibiting pesticides or drugs.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Induce vomiting and seek medical attention immediately.
IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.
IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.
IF INHALED: Remove victim to fresh air, and call a physician if effects occur.
Note for Physician/Veterinarian: Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal.

DISPOSAL AND STORAGE

STORAGE: Store in a cool, dry place.
DISPOSAL: Do not reuse empty container. Wrap container in several layers of newspaper and put in trash collection.
ACTIVE INGREDIENTS: Pyrethrins 0.067%, *Piperonyl Butoxide, Technical 0.134%, **N-Octyl Bicycloheptene Dicarboximide 0.224%, ***Carbaryl (1-Naphthyl N-Methyl-carbamate) 5.000%, *Equivalent to 0.107% (Butylcarbaryl) (6-Propylpiperonyl) Ether and 0.027% other related compounds, **MGK264 Insecticide Synergist, ***Sevin.
INERT INGREDIENTS: 94.575%
TOTAL: 100.000%



E.P.A. REG. NO. 4306-10
E.P.A. EST. NO.
34797-1A 2 (Q)
33697-MO 001 (P)
51793-TN 001 (R)
See first letter on bottom or side of container for actual establishment.
COMBE INC., Dist.
White Plains, NY 10604
Made in U.S.A.
Printed in Canada
685-1508

BEST AVAILABLE COPY

BONUS! FREE 50% MORE
than regular 3.75 oz. size

SCRATCHEX®

FLEA & TICK POWDER

for dogs
& cats



**DOUBLE INSECTICIDE FORMULA
KILLS FAST...KEEPS ON KILLING**

DEODORIZES
while it kills fleas, ticks, lice
LONG-LASTING
to help prevent reinfestation
EASY-TO-USE
plastic bottle for even application

CAUTION: SEE BACK
PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS
KEEP OUT OF REACH OF CHILDREN

SCRATCHEX® FLEA & TICK POWDER

DIRECTIONS FOR USE:
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. It is good practice to apply product to a well-ventilated area and to wash hands after each use. Hold the animal and spread over the animal, apply product liberally (but not liberally) shaking. Beginning at the head and moving back to the tail, work the powder down to the skin. Also treat the animal's ears. Avoid getting product in pet's eyes. Repeat this application as needed. For more frequent use, first consult a veterinarian.

PRECAUTIONARY STATEMENTS:
HAZARDS TO HUMANS AND DOMESTIC ANIMALS:
CAUTION: May be harmful if swallowed. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water. Do not use on pregnant, nursing, sick, or debilitated animals. Puppies and kittens under 3 months old. Although sensitive to this product. Always observe your pet's behavior and appearance. If changes occur, discontinue use with soap and water. If changes continue, contact a veterinarian. Do not use this product in combination with other pesticides or drugs.

STATEMENT OF PRACTICAL TREATMENT:
IF SWALLOWED: Induce vomiting and seek medical attention.
IF IN EYES: Flush eyes with plenty of water. Call a physician.
IF ON SKIN: Wash with plenty of soap and water. Irritation persists.
IF INHALED: Remove victim to fresh air, and call a physician.
Note for Physician/Veterinarian: Carbaryl is a moderate sedative. Atropine is antidotal.

DISPOSAL AND STORAGE:
STORAGE: Store in a cool, dry place.
DISPOSAL: Do not reuse empty container. Wrap container in newspaper and put in trash collection.
ACTIVE INGREDIENTS: Pyrethrin 0.067%, Piperonyl Butoxide 0.134%, **N-Octyl Bicycloheptene Dicarboximide 0.0003%, Naphthyl N-Methyl carbamate 0.0003%, *Equivalent (S-Propylperonyl) Ether and 0.027% other related insecticides by weight, ***Sevin.
INERT INGREDIENTS: 94.875%
TOTAL: 100.000%



0 11509 00000 6

E.P.A. Reg. No. 3470-3340-6170
See Back Panel for Additional Information
White Label
Printed in U.S.A.

BEST AVAILABLE COPY

