

PM 13

4306 711

1/3

(front label)

Sulfodene®
SCRATCHEX®

FLEA & TICK SPRAY
for Dogs & Cats

KILLS FLEAS up to 14 days,
ticks up to 4 days on dogs,
Kills fleas & ticks up to 9 days on cats.

Kills ticks
that may spread Lyme Disease

REPELS FLEAS AND TICKS

Forms an invisible barrier
on your pet to repel fleas and ticks
Kills fleas and ticks already on your pets
Kills fleas, ticks lice!


ACTIVE INGREDIENTS: Pyrethrins 0.056%, Permethrin [*3-phenoxyphenyl methyl(+) *cis-trans*-3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropane carboxylate] 0.050%, Related compounds 0.004%, **cis-trans* isomer ratio: Min. 35% (±) *cis*, Max. 65% (±) *trans*.

INERT INGREDIENTS: 99.89%

KEEP OUT OF REACH OF CHILDREN

CAUTION: SEE BACK PANEL FOR PRECAUTIONARY STATEMENTS.

NET WT. 7 oz. (198g)



(back label)

**Sulfodene®
SCRATCHEX®**

FLEA & TICK SPRAY for Dogs & Cats

**Kills ticks
that may spread Lyme Disease**

Sulfodene® SCRATCHEX® Flea & tick Spray has been scientifically formulated to both kill fleas and to keep working up to 14 days on dogs to prevent reinfestation. Can be used on both dogs and cats. It can also be used on pet's bedding, furniture and carpets.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. It is good practice to apply product in an open, well-ventilated area and to wash hands after each use. Shake the container well before using. Hold the container upright during use. Spray the animal from a distance of 8-12 inches, moving the dispenser rapidly across the animal's coat, including the legs and under the body. Fluff the hair as you spray so that the spray reaches the fleas and ticks on the skin. **DO NOT SATURATE.** Repeat this once per week, as needed. For more frequent use, first consult a veterinarian. Use in pet's sleeping area or on bedding, walls, furniture, floors and carpeting to control infestation.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: Harmful if swallowed. Avoid breathing vapors. Do not spray in eyes, face or genitalia. Do not use on pregnant, nursing, sick, old or debilitated pets or puppies and kittens under 3 months old. Avoid contact with skin or clothing.

STATEMENT OF PRACTICAL TREATMENT

If swallowed:	Call a Physician or Poison Control Center
If in eyes:	Flush with plenty of water. Get medical attention if irritation persists.
If on skin:	Wash with soap and warm water, Get medical attention if irritation persists.
If inhaled:	Remove victim to fresh air and call a physician if effects occur.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not incinerate container. Exposure to temperatures above 130°F may cause bursting.

STORAGE AND DISPOSAL

Storage: Store in cool area away from heat and open flame.

Disposal: Container recyclable in aerosol recycling centers of which few exist in U.S. Before offering for recycling empty can through normal label-directed use. DO NOT PUNCTURE! If recycling unavailable, wrap container and discard in trash.

EPA Reg. No. 4306-11

EPA Est No. 11715-TN-1

COMBE, INC., Dist.

White Plains, NY 10604

Made in U.S.A. Printed in U.S.A.

