

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This is an extremely effective cleaner and disinfectant recommended for general hospital use on floors, walls, woodwork, and equipment in all departments.

For disinfection against *Staphylococcus aureus*, *Salmonella choleraesuis*, and *Mycobacterium tuberculosis* var. *bovis* (BCG), use 1 oz. to each gallon of water. Before disinfecting, remove heavy soil. Apply solution; allow to remain wet for at least five minutes. Mop up or wipe up.

For heavy duty cleaning, first remove loose soil. Use 2 ounces per gallon of water, mop or wipe on; allow to soak several minutes; remove.

For rapid cleaning, use 4 ounces per gallon of water in automatic scrubbing machines. Always rinse floors before applying polish or wax.

For daily maintenance of waxed floors, damp mop with solution of 1-½ ounces per gallon of water to remove most soil and effectively sanitize.

Recommended for use in hospitals, clinics, veterinary hospitals, rest homes, athletic departments, industrial plants — where a need exists to clean and disinfect thoroughly in one operation.

**1 U.S. GALLON/3.8 LITERS**

# OCIDE 200®

## CLEANER-DISINFECTANT

### BACTERICIDAL TUBERCULOCIDAL

Not Effective Against *Pseudomonas aeruginosa* And Related Species.

#### Active Ingredients:

Ortho-benzyl parachlorophenol ..... 4.9%  
INERT Ingredients: ..... 95.1%

KEEP OUT OF REACH OF CHILDREN.

## WARNING

See right panel for additional precautionary and First Aid statements

**DIRECTIONS FOR USE**

4313-21

PM-32

1/29/90

1081

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This is an extremely effective cleaner and disinfectant recommended for general hospital use on floors, walls, woodwork, and equipment in all departments.

For disinfection against *Staphylococcus aureus*, *Salmonella choleraesuis*, and *Mycobacterium tuberculosis* var. *bovis* (BCG), use 1 oz. to each gallon of water. Before disinfecting, remove heavy soil. Apply solution; allow to remain wet for at least five minutes. Mop up or wipe up.

For heavy duty cleaning, first remove loose soil. Use 2 ounces per gallon of water, mop or wipe on; allow to soak several minutes; remove.

For rapid cleaning, use 4 ounces per gallon of water in automatic scrubbing machines. Always rinse floors before applying polish or wax.

For daily maintenance of waxed floors, damp mop with solution of 1-½ ounces per gallon of water to remove most soil and effectively sanitize.

Recommended for use in hospitals, clinics, veterinary hospitals, rest homes, athletic departments, industrial plants — where a need exists to clean and disinfect thoroughly in one operation.

**1 U.S. GALLON/3.8 LITERS**

**OCIDE 200®**

**CLEANER-DISINFECTANT**

**BACTERICIDAL TUBERCULOCIDAL**

Not Effective Against *Pseudomonas aeruginosa* And Related Species.

**Active Ingredients:**

Ortho-benzyl parachlorophenol ..... 4.9%

INERT Ingredients: ..... 95.1%

**KEEP OUT OF REACH OF CHILDREN.**

**WARNING**

See right panel for additional precautionary and First Aid statements

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**WARNING:** Harmful if swallowed. Causes eye irritation. May cause skin irritation. In case of contact, wash thoroughly with water. If irritation persists, get medical attention. Avoid contamination of feed or foodstuffs. Rinse empty container before discarding.

**STORAGE AND DISPOSAL**

**DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.**

**STORAGE:** Keep container closed when not in use. Do not store near heat or open flame.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Metal Containers—Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic Containers—Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

EPA Reg. No. 4313-21  
EPA Est. 4313-TX-1

**OCIDE 200®**

**CLEANER-DISINFECTANT**


**BACTERICIDAL TUBERCULOCIDAL**

**Not Effective Against *Pseudomonas aeruginosa* And Related Species.**

**Active Ingredients:**

Ortho-benzyl parachlorophenol ..... 4.9%

INERT Ingredients: ..... 95.1%



**KEEP OUT OF REACH OF CHILDREN.**

**WARNING**

See left panel for additional precautionary and First Aid statements.