



776

DISINFECTANT, VIRUCIDE,* AND CLEANER

FOR HOSPITAL, INSTITUTIONAL AND INDUSTRIAL USE

*Human immunodeficiency virus, Type 1 (HIV-1)

ACTIVE INGREDIENT:

Alkyl (C ₁₄ 50%, C ₁₂ 40%, C ₁₀ 10%) dimethyl benzyl ammonium chloride.....	3.3%
INERT INGREDIENTS.....	96.7%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

See left panel for additional precautionary and first aid statements

3.8 LITERS/1 U.S. GALLON

This disinfectant has a pleasing lemon fragrance and makes a bright, clear, yellow solution when mixed with water. Do not mix with soap or other detergents.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

For use on pre-cleaned, hard, inanimate surfaces. For heavy soil or organic matter, a pre-cleaning step is required. Rinse with clear water. Apply disinfectant solution of two ounces per gallon of water to toilets, restroom floors, shower stalls, diaper pails and garbage cans. Wet all surfaces thoroughly. Use four ounces per gallon of water for sick rooms, hospitals, or clinics. Keep surfaces wet for at least 10 minutes. Prepare a fresh solution daily or when use solution becomes visibly dirty.

This product is effective against the following organisms:

- Pseudomonas aeruginosa
- Staphylococcus aureus
- Salmonella choleraesuis
- Human immunodeficiency virus, Type 1

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

EPA Reg No. 4313-22

EPA Est. No. 4313-TX-1

BEST COPY AVAILABLE

10/1

202

ACCEPTED
MAR 15 1995
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. **4313-22**

***KILLS HIV-1 ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus, Type 1 (HIV-1)(associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:

PERSONAL PROTECTION: Clean-up should always be done wearing protective latex gloves, gowns, masks, and eye protection.

CLEANING PROCEDURE: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of the disinfectant.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

CONTACT TIME: Effective against HIV-1 (AIDS Virus) on hard, nonporous surfaces in the presence of a moderate amount of organic soil (5% blood serum) when diluted 1:32. Surfaces must remain wet for 10 minutes at room temperature (20-25 degrees C).

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER: Keep Out of Reach of Children. Corrosive, causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink large quantities of water. Call a physician.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL

STORAGE: Keep container closed when not in use. Do not store near heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Plastic Containers - Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

BEST COPY AVAILABLE