

This copolymer finish is designed for use in hospitals, laboratories, nursing homes, institutions, commercial buildings, and households.

It contains a chemical ingredient which provides residual bacteriostatic activity against odor-causing bacteria.

Damp mopping activates the bacteriostatic qualities of the floor finish. Tests on floors treated as directed show a reduction of odor-causing bacteria levels of 99.999% in environments having greater than 50% relative humidity.

Its long-lasting shine is remarkably resistant to rubber marking and scuffing.

One gallon will cover 2000 to 2500 square feet.

Wet floors may be slippery floors. Clean up all spills right away.

FAILURE TO FOLLOW ALL INSTRUCTIONS AND PRECAUTIONS COULD LEAD TO SLIPPERY CONDITIONS.

#### STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

STORAGE: Keep container closed when not in use.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Plastic Containers - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by State and local authorities, by burning. If by burning, stay out of smoke.

## SELF-SANITIZING

# FLOW FLEX FLOOR FINISH

(Against Odor-Causing Bacteria)

Active Ingredients: Alkyl (derived from fatty acids of coconut oil)


amine hydrochlorides . . . . . 0.075%

Inert Ingredients: . . . . . 99.925%

### CAUTION

Keep out of reach of children.

See right panel for additional precautionary statements.



CARROLL

CARROLL

CARROLL

CARROLL

C

PM 31 4313-37

This copolymer finish is designed for use in hospitals, laboratories, nursing homes, institutions, commercial buildings, and households.

It contains a chemical ingredient which provides residual bacteriostatic activity against odor-causing bacteria.

Damp mopping activates the bacteriostatic qualities of the floor finish. Tests on floors treated as directed show a reduction of odor-causing bacteria levels of 99.999% in environments having greater than 50% relative humidity.

Its long-lasting shine is remarkably resistant to rubber marking and scuffing.

One gallon will cover 2000 to 2500 square feet.

Wet floors may be slippery floors. Clean up all spills right away.

FAILURE TO FOLLOW ALL INSTRUCTIONS AND PRECAUTIONS COULD LEAD TO SLIPPERY CONDITIONS.

#### STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

STORAGE: Keep container closed when not in use.  
PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Plastic Containers - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by State and local authorities, by burning. If by burning, stay out of smoke.

## SELF-SANITIZING

# FLOW

# FLEX

## FLOOR FINISH

(Against Odor-Causing Bacteria)

Active Ingredients: Alkyl (derived from fatty acids of coconut oil)


amine hydrochlorides . . . . . .075%

Inert Ingredients: . . . . . .99.925%

### CAUTION

Keep out of reach of children.

See right panel for additional precautionary statements.



BEST AVAILABLE COPY

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

Harmful if absorbed through skin. Avoid contact with skin, eyes, and clothing. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT

If on skin, wash with plenty of soap and water. Get medical attention. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Clean floors thoroughly, rinse and allow to dry before applying first coat of copolymer floor finish.

Use clean applicator. Apply the finish in a thin, uniform coat and allow to dry. A second coat will give an even deeper gloss. To avoid contamination, do not return unused finish to original container.

Sweep or dry mop each day to remove surface dirt. Damp mop with water or dilute solution of neutral cleaner to remove accumulated soil. Buff to brighten.

Avoid contamination of foods.

**KEEP FROM FREEZING**

PERCENT VOS 0.00

EPA Est 4313-TX-1

EPA Reg. No. 4313-37

1 U.S. GALLON / 3.785 LITERS

**ARROLL**

**CARROLL**

**BEST AVAILABLE COPY**