

DIRECTIONS FOR STORAGE AND HANDLING

WARNING Store in a cool, well ventilated area. Moisture contamination may liberate irritating and hazardous chlorine containing gases. Oxidizing material: do not mix with other chemicals. Contact with organic matter may cause fire.

Decomposes at 350-475°F with liberation of harmful gases. In case of decomposition, if possible isolate container in open air or well ventilated area. Flood with large volume of water if necessary.

Do NOT reuse empty container. Rinse empty container thoroughly. This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

NET WEIGHT: 5 LBS.

C·W·S Wash Sanitizer

Active Ingredient:
Sodium dichloro-s-triazinetrione dihydrate 26%
(provides 15.8% available chlorine)
Inert Ingredients: 72%

WARNING HARMFUL IF SWALLOWED. DO NOT GET IN EYES, ON THE SKIN OR ON CLOTHING. DO NOT BREATHE DUST. AVOID CONTAMINATION OF FOOD. KEEP OUT OF THE REACH OF CHILDREN

If swallowed: feed gruel or cooked cereal followed by olive oil or cooking oil. Call a physician.

In case of personal contact: remove excess material and flush skin or eyes with fresh water for at least 15 minutes. For eyes, get medical attention.

Rinse empty container thoroughly with water and discard it. See right panel for Directions for Use.

CARROLL COMPANY • 2900 W. Kingsley Rd. • Garland, Texas 75041 • Chemical Specialists

This Wa
prior to
use in
and br

FOR EC
water.
of chlo
Wash eg
an iron
when us
Maintain
washed
should b
FOR DIS
1 or 2 o
200 ppm
dip the
potable
SHOUL
is reuse
Sanitizer
chlorine.
EP

h Sanitizer

hydrate 28%
..... 72%

SWALLOWED. DO NOT GET IN CLOTHING. DO NOT BREATHE ON OF FOOD. REACH OF CHILDREN

cereal followed by olive oil or cook-
excess material and flush skin or 15 minutes. For eyes, get medical
with water and discard it. See right

This Wash Sanitizer is recommended for use in spray machines to sanitize and clean eggs prior to sale of commercial eggs, or to use on incubation eggs. It is also recommended for use in sanitizing dishes, glasses, food processing equipment and utensils including dairy and brewery equipment and utensils.

DIRECTIONS FOR USE

FOR EGG WASH: Dissolve 1 or 2 oz. of the Wash Sanitizer in 10 gal. of warm (125°F) water. This provides 100 or 200 ppm of available chlorine respectively. The higher level of chlorine is recommended for hatching eggs, and the lower level for commercial eggs. Wash eggs promptly after gathering. Do not try to clean excessively dirty eggs. Water with an iron content in excess of 2 ppm should not be used. Do not reuse wash water except when used in a continuous type washer. Wash water temperature to be 90°F or higher. Maintain wash water at a temperature 20°F to 40°F warmer than the eggs. Spray rinse washed eggs with warm potable water containing an approved sanitizing compound. Eggs should be reasonably dry before casing or breaking.

FOR DISHES, GLASSES, FOOD PROCESSING EQUIPMENT AND UTENSILS: Dissolve 1 or 2 oz. of the Wash Sanitizer per 10 gal. of warm (125°F) water. This provides 100 or 200 ppm of available chlorine respectively. Clean and rinse items prior to sanitizing. Then dip the items to be sanitized in solution and hold for 2 or 3 minutes. Remove, rinse with potable water, and dry. The items are then ready for use. **THE SANITIZING SOLUTION SHOULD BE USED PROMPTLY AFTER MIXING.** If the solution is allowed to stand or is reused and tests show the level of chlorine has not been maintained, additional Wash Sanitizer should be added, to maintain a minimum concentration of 100 ppm available chlorine.

EPA Reg. No. 4313-48

EPA Est. 4313-TX-1

ACCEPTED
4313-48
FEB 12 1975
UNDER THE FEDERAL INSTRUCTIONS
PUNICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTRATION UNDER NO.

as 75041 • *Chemical Specialties*

CARROLL

CARROLL

CARROLL

177