#### **DIRECTIONS FOR STORAGE AND HANDLING**

WARNING Store in a cool, dry, well ventilated area. Moisture contamination may liberate irritating and hazardous chlorine containing gases. Oxidizing material do not mix with other chemicals. Contact with organic matter may cause fire Decomposes at 350-475°F with liberation of harmful gases. In case of decomposition, if possible iso are container in open air or well ventilated area. Flood with large volume of water if necessary.

Do NOT reuse empty container. Rinse empty container thoroughly with clean water before discarding.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this tabel

NET WEIGHT: 8 LBS.

## Chlorinated Detergent Sanitizer

Active Ingredients		
Somum dichioro-s triazinetrione dihydrate	5	63
(provides 3.2% available chiprine)		
Sodium dodecyluenzena sulfonate	4.	ŋ¢,
Sodium metasilicate	Ê	98
Inert Ingredients 8	35	49

#### WARNING

HARMFUL IF SWALLOWED. MAY CAUSE EYE DAMAGE. DO NOT GET IN EYES, ON THE SKIN OR ON CLOTHING. DO NOT BREATHE DUST. KEEP OUT OF THE REACH OF CHILDREN.

It swallowed feed gruel or cooked cerest followed by olive on or cook-ing oil. Call physician.

In case of personal contact: remove excess material and flush skin or eyes with fresh water for at least 15 minutes. For eyes, get medical attention

Rinse empty container thoroughly with water and discard it. See right panel for Directions for Use.

This Detergent Sanitizer is reconutensils including dairy and brewe use on dishes and glasses.

Prepare a sanitizing solution by distrof water. This provides a solution respectively. Clean and rinse itemment or utensils in solution for a dry. For flat surfaces, clean to rering solution and allow to stand 2 to

The same solution may be used it viding 2 to 5 minutes contact tin ment and utensils. Clean and rins well with potable water and dry. T

The sanitizing solution should be to stand or is reused and tests should lonal Detergent Sanitizer should I pprn available chlorine.

EPA Reg. No. 4313

CARROLL COMPANY • 2900 W. Kingsley Rd. • Garland, Texas 75041 • Chemical Specialties



#### NDLING

entilated area. liberate irrita-Oxidizing mact with organic PF with liberaon, if possible ed area. Flood

apty container

should not be tams, ponds or taning of equipinly as specified

### Chlorinated Detergent Sanitizer

Active Ingredients:						
Somum dichiorois triazinetrione dihydrate					. 5	6%
(provides 3.2% available chiprine)						
Sodium dodecyluenzena sulfonate					. 4	.0°-
Sodium metasilicate					. E	9%
Inert Ingredients.					25	40

WARNING

HARMFUL IF SWALLOWED. MAY CAUSE EYE DAMAGE. DO NOT GET IN EYES, ON THE SKIN OR ON CLOTHING. DO NOT BREATHE DUST. KEEP OUT OF THE REACH OF CHILDREN.

It swallowed feed gruel or cooked cereal followed by olive on or cooking oil. Call physician.

In case of personal contact: remove excess material and flush skin or eyes with fresh water for at least 15 minutes. For eyes, get medical attention.

Rinse empty container thoroughly with water and dispard it. See right panel for Directions for Use

This Detergent Sanitizer is recommended for use on food processing equipment and utensils including dairy and brewery equipment and utensils. It is also recommended for use on dishes and glasses.

#### DIRECTIONS FOR USE

Prepare a sanitizing solution by dissolving 4% oz. or 8% oz. Detergent Sanitizer per 10 gal. of water. This provides a solution containing 100 ppm or 200 ppm of available chlorine respectively. Clean and rinse items prior to sanitizing. Then place glasses, dishes, equipment or utensils in solution for 2 to 5 minutes. Femove, rinse with potable water and dry. For flat surfaces, clean to remove gross filth and heavy soil. Then spread the sanitizing solution and allow to stand 2 to 5 minutes and then rinse with potable water.

The same solution may be used in feed tank in immersion or spray type machines providing 2 to 5 minutes contact time for sanitizing dishes, glasses, food processing equipment and utensils. Clean and rinse items prior to sanitizing. After sanitizing step, rinse well with potable water and dry. The items then are ready for use.

The sanitizing solution should be used promptly after mixing. If the solution is allowed to stand or is reused and tests show the level of chlorine has not been maintained, additional Detergent Sanitizer should be added, to make take a minimum-concentration of 190 com available chlorine.

EPA Reg. No. 4313 49





1900 W. Kingsley Rd. • Garland, Texas 75041 • Chemical Specialties

#### DIRECTIONS FOR STORAGE AND HANDLING

WARNING Store in a cool, dry, well ventilated area. Moisture contamination may liberate irritating and hazardous chlorine containing gases. Oxidizing material: do not mix with other chemicals. Contact with organic matter may cause fire. Decomposes at 350-475°F with liberation of harmful gases. In case of decomposition, if possible isolate container in open air or well ventilated area. Flood with large volume of water if necessary.

Do NOT reuse empty container. Rinse empty container thoroughly with clean water before discarding.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

NET WEIGHT: & LBS.

# Chlorinated Detergent Sanitizer

Active Ingredients:	
Socium dichioro-s-triazinetrione dihydrate (provides 3.2% available chlorine)	5 6%
Sodium dodecyloenzene sulfocate	4.0%
Sodium metasilicate. Inert Ingredients:	

WARNING HARMFUL IF SWALLOWED: MAY CAUSE EYE DAMAGE. DO NOT GET IN EYES, ON THE SKIN OR ON CLOTHING. DO NOT BREATHE DUST. KEEP OUT OF THE REACH OF CHILDREN.

If swallowed, feed gruel or cooked cereal followed by olive oil or cooking oil. Call physician.

In case of personal contact: remove excess material and flush skin or eyes with fresh water for at least 15 minutes. For eyes, get medical

Rinse empty container thoroughly with water and discard it. See right panel for Directions for Use.

This Deta utensils in use on dis

Prepare a of water. respective ment or dry. For ing solutio

The same viding 2 ment and well with

The sanit to stand o tional Det CDIN 2V4

CARROLL COMPANY • 2900 W. Kingsley Rd. • Garland, Texas 75041 • Chemical Specialtie

## Chlorinated etergent Sanitizer

ARNING HARMFUL IF SWALLOWED. MAY CAUSE EYE DAMAGE. DO NOT GET IN EYES, ON THE SKIN OR ON CLOTHING. DO NOT BREATHE DUST. KEEP OUT OF THE REACH OF CHILDREN.

allowed: feed gruel or cocked careal followed by olive oil or cook-

rase of personal contact: remove excess material and flush skin or swith fresh water for at least 15 minutes. For eyes, get medical intion.

he empty container thoroughly with water and discard it. See right el for Directions for Use.

This Detergent Sanitizer is recommended for use on food processing equipment and utensils including Gairy and brewery equipment and utensils. It is also recommended for use on dishes and glasses.

#### DIRECTIONS FOR USE

Prepare a sanitizing solution by dissolving 4% oz. or 8% oz. Detergent Sanitizer per 10 gal, of water. This provides a solution containing 100 ppm or 200 ppm of available chloring respectively. Clean and rinse items orior to sanitizing. Then place glasses, dishes, equipment or utensils in solution for 2 to 5 minutes. Remove, rinse with potable water and dry. For flat surfaces, clean to remove gross fifth and heavy soil. Then spread the sanitizing solution and allow to stand 2 to 5 minutes and then rinse with potable water.

The same solution may be used in feed tank in immersion or spray type machines providing 2 to 5 minutes contact time for sanitizing dishes, glasses, food processing equipment and utensils. Clean and rinse items prior to sanitizing. After sanitizing step, rinse well with potable water and dry. The items then are ready for use.

The sanitizing solution should be used promptly after mixing. If the solution is allowed to stand or is reused and tests show the level of chlorine has not been maintained, additional Detergent Sanitizer should be added, to maintain a minimum concentration of 100 cpm available chlorine.

EPA Reg. No. 4313-49

ACCEPTED 15 FEB 1977 1373-49

2(01)

• Garland, Texas 75041 • Chemical Specialties



CARROLL.

CARROLL