

**PHYSICAL AND CHEMICAL HAZARDS-
STRONG OXIDIZING AGENT**

This product is a strong oxidizing agent. Use only clean, dry scoops and mix with water only. Mixing other chemicals or gross filth will start a chemical reaction resulting in release of toxic gases, heat and possibly fire. In case of decomposition, isolate container in open air if possible, and flood with large volumes of water.

STORAGE AND DISPOSAL

Store in a cool dry area away from direct sunlight or heat. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and discard by placing in trash collection or burying in approved landfill area. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Keep out of lakes, streams and ponds. Treated effluent should not be discharged into lakes, streams, ponds, or public waters unless in accordance with NPDES permit. For guidance, consult the regional office of EPA.

ACCEPTED
NET WEIGHT: 8 LBS.
4313-49
OCT 6 1980

CARBOL COMPANY • 2900 W. Kingsley Rd. • Garland, Texas 75041 • Chen

Registered under
EPA Reg. No.

Chlorinated Detergent Sanitizer

Active Ingredients:

Sodium dichloro-s-triazinetrione dihydrate	5.6%
(provides 3.2% available chlorine)	
Sodium dodecylbenzene sulfonate	4.0%
Sodium metasilicate	5.0%
Inert Ingredients:	85.4%

WARNING HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN. AVOID BREATHING DUST. AVOID CONTACT WITH SKIN, EYES, OR CLOTHING. MAY CAUSE EYE DAMAGE OR SEVERE SKIN IRRITATION. KEEP OUT OF REACH OF CHILDREN

If swallowed, feed gruel or cooked cereal followed by olive oil. Call a physician. In case of contact with skin or clothing, remove clothing and wash skin with soap and water. Do not reuse clothes until washed. In case of eye contact, wash with water for about 15 minutes and consult a physician.

Rinse empty container thoroughly with water and discard it. See right panel for Directions for Use.

BEST AVAILABLE COPY

... 5.6%

... 4.0%

... 5.0%

... 85.4%

... ALED OR ABSORB-
... DUST. AVOID CON-
... CAUSE EYE DAMAGE
... EACH OF CHILDREN.

... by olive oil. Call a
... g, remove clothing
... othes until washed.
... 5 minutes and con-

... discard it. See right

DIRECTIONS FOR USE

Prepare a sanitizing solution by dissolving 4 1/2 oz. of Detergent Sanitizer per 10 gal. of water. This provides a solution containing 100 ppm of available chlorine. Clean and rinse items prior to sanitizing. Place glasses, dishes, equipment or utensils in solution for 2 to 5 minutes. Remove, no potable water rinse is required; allow to air dry.

To provide a solution of 200 ppm of available chlorine, use 8 1/2 oz. of Detergent Sanitizer per 10 gal. of water. Clean and rinse items prior to sanitizing, then place glasses, dishes, equipment or utensils in solution for 2 to 5 minutes. Remove, RINSE with potable water and allow to air dry. For flat surfaces, clean to remove gross filth and heavy soil. Then spread the sanitizer solution and allow to stand 2 to 5 minutes.

The same solution may be used in feed tank in immersion or spray type machines providing 2 to 5 minutes contact time for sanitizing dishes, glasses, food processing equipment and utensils. Clean and rinse items prior to sanitizing; if using 100 ppm solution, no potable water rinse is necessary after sanitizing. If using 200 ppm solution, follow with a potable water rinse before air drying. The items are then ready for use.

THE SANITIZING SOLUTION SHOULD BE USED PROMPTLY AFTER MIXING. If the solution is allowed to stand or is reused and tests show the level of chlorine has not been maintained, additional Detergent Sanitizer should be added to maintain a minimum concentration of 100 ppm available chlorine.

EPA Reg. No. 4313-49

EPA Est. 4313-TX-1

• *Chemical Specialties*

CARROLL

CARROLL

CARROLL

BEST AVAILABLE DATA