

1132
113-49
fj

BEST AVAILABLE COPY

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This Detergent Sanitizer is recommended for use on food processing equipment and utensils including dairy and brewery equipment and utensils. It is also recommended for use on dishes and glasses.

Prepare a sanitizing solution by dissolving 4-1/4 oz. of Detergent Sanitizer per 10 gallons of water. This provides a solution containing 100 ppm of available chlorine. Prior to sanitizing items remove gross food particles and soil by a pre-flush, or pre-scrape and, when necessary pre-soak treatment. Items require thorough washing of surfaces with a detergent or compatible cleaner, followed by a potable water rinse before application of the sanitizing solution. Place glasses, dishes, equipment or utensils in solution for 2 to 5 minutes. Remove; no potable water rinse is permitted; allow to air dry.

The same solution may be used in feed tank in immersion or spray type machines providing 2 to 5 minutes contact time for sanitizing dishes, glasses, food processing equipment and utensils. Prior to sanitizing items remove gross food particles and soil by a pre-flush, or pre-scrape and, when necessary pre-soak treatment. Items require thorough washing of surfaces with a detergent or compatible cleaner, followed by a potable water rinse before application of the sanitizing solution. If using 100 ppm solution, no potable water rinse is permitted after sanitizing. The items are then ready for use.

THE SANITIZING SOLUTION SHOULD BE USED PROMPTLY AFTER MIXING. If the solution is allowed to stand or is reused and tests show the level of chlorine has not been maintained, additional Detergent Sanitizer should be added to maintain a minimum concentration of 100 ppm available chlorine.

Chlorix Detergent

Active Ingredients:

Sodium dichloro-s-triazinetrione dil
(provides 3.2% available chlorine)
Sodium dodecylbenzene sulfonate
Sodium metasilicate

Inert Ingredients

KEEP OUT OF THE REACH

DANGEROUS

See other precautionary and first aid instructions

NET WEIGHT:

CARROLL COMPANY • 2900 W. Kingsley Rd. • Garland, Texas

STATEMENT OF PRACTICAL TREATMENT: If swallowed—drink promptly a large quantity of water. Do not induce vomiting. Avoid alcohol. Get medical attention. If in eyes—flush with plenty of water for 15 minutes. Get medical attention. If on skin—wash with plenty of soap and water. Get medical attention if irritation persists.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage.

PHYSICAL AND CHEMICAL HAZARDS – STRONG OXIDIZING AGENT


This product is a strong oxidizing agent. Use only clean, dry scoops and mix with water only. Mixing other chemicals or gross filth will start a chemical reaction resulting in release of toxic gases, heat and possible fire. In case of decomposition, isolate container in open air if possible, and flood with large volumes of water.

STORAGE AND DISPOSAL: Store in a cool, dry area away from direct sunlight or heat. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and discard by placing in trash collection or burying in approved landfill area. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, and ponds. Treated effluent should not be discharged into lakes, streams, ponds, or public waters unless in accordance with NPDES permit. For guidance, consult the regional office of EPA.

EPA Reg. No. 4313-49

EPA Est. 4313-TX-1



908
13-49

specialties