DIRECTIONS FOR USE

7-88

926

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This Detergent Sanitizer is recommended for use on food pressing equipment and utensils including dairy and brewery equipment and utensils. It is also recommended for use on dishes and glasses.

Per area antizing solution by dissolving 4-1/4 oz. of Detergent Sanitizer per 10 gallons of water. This provides a solution containing 100 ppm of available chlorine. Prior to sanitizing nems remove goess for a particles and soil by a pre-flush, or pre-scrape ane, when necessary pre-soak treatment. Items require thorough washing of surfaces with a detergent or compatible cleaner, followed by a potable water rinse before application of the sanitizing solution. Place glasses, dishest equipment or utensils in solution for 2 to 5 minutes. Remove; no potable vare rinse permitted; allow to air dry.

The same solution may be used in feed tank in immersion or spray type machines providing 2 to 5 minutes contact time for sanitizing dishes, glasses, food processing equipment and utensils. Prior to sanitizing items remove gross food particles and soil by a pre-flush, or pre-scrape and, when necessary pre-scak treatment. Items require thorough washing of surfaces with a detergent or compatible cleaner, followed by a potable water rinse before application of the sanitizing solution. If using 100 ppm solution, no potable water rinse is permitted after sanitizing. The items are then ready for use.

THE SANITIZING SOLUTION SHOULD BE USED PROMPTLY AFTER MIXING. If the solution is allowed to stand or is reused and tests show the level of chlorine has not been maintained, additional Detergent Sanitizer should be added to maintain a minimum concentration of 100 ppm available chlorine.

Chlorina Detergent S

Active Ingredients:

Sodium dichloro-s-triazinetrione dihydr (provides 8.2% available chlorine)

Inert Ingredients

KEEP OUT OF THE REACH O DANGER

See other precautionary and first aid state-

NET WEIGHT: 8

CARROLL COMPANY • 2900 W. Kingsley Rd. • Garland, Texas

ted anitizer

ite 5.6%

sents on right panel,

•.8S.

PM - 32

PRECAUTIONAR STATEMENTS-HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER Corrosive. Causes eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles and rubber gloves when handling. Harmful or fatal if swallowed. Avoid breathing dust. Wash thoroughly with soap and water after handling.

9-

STATEMENT OF PRACTICAL TREATMENT: If swallowed-drink promptly a large quantity of water. Do not induce vomiting. Avoid alcohol. Get medical attention. If in eyes-flush with plenty of water for 15 minutes Get medical attentior. If on skin-wash with plenty of soap and water. Get medical attention is irritation persists.

Probable mucosal damage may contraindicate the use of gastric lavage. PHYSICAL AND CHEMICAL HAZARDS - STRONG OXIDIZING AGENT This product is a strong over the strong of t

This product is a strong oxidizing agent. Use only clean, dry scoops and mix with water only. Mixing other chemical so gross silthewill start a chemical reaction resulting in release of toxic gases, heat and possible fire. In case of decomposition, isolate container in open air if possible, and flood with large volumes of water.

STORAGE AND DISPOSAL: Store in a cool, dry area away from direct sunlight or heat. In case of spill, flood area with large quantites of water. Rinse empty container thoroughly with water and discard by placing in trash collection or burying in approved landfill area. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

Figure 1 to the proceedance werving on equipment.
Figure 1 to the proceedance werving on equipment.
Figure 1 to the proceedance werving on equipment.
Figure 1 to the proceedance werving on equipment.
Figure 1 to the proceedance werving on equipment.
Figure 1 to the proceedance werving on equipment.
Figure 1 to the proceedance werving on equipment.
Figure 1 to the proceedance werving on equipment.
Figure 1 to the proceedance werving on equipment.
Figure 1 to the proceedance werving on equipment.
Figure 1 to the proceedance werving on equipment.
Figure 2 to the p

75041 • Chemical Specialties

EPA Reg. No. 4313-49

$(1)^{(1)} (1)^$

DIRECTIONS FOR USE

It is aviolation of Federal law to use this product in a manner inconsistent with its labeling. This Detergent Sanitizer is recommended for use on food processing equipment and utensils including dairy and brewery equipment and utensils. It is also recommended for use on dishes and glasses.

Prepare a sanitizing solution by dissolving 4-1/4 dz, of Detergent Sanitizer per 10 gallons of water. This provides a solution containing 100 ppm of available chlorine. Prio to sanitizing items remove gross food particles and soll by a pre-flush or pre-scrape ane, when necessary pre-soak treatment. Items require thorough vashing of surfaces with a detergent or compatible cleaner, followed by a potable water rinse before application of the sanitizing solution. Place glasses, dishes, equipment or wtensils in splution for 2 to 5 minutes. Remove; no potable water rinse is permitted; allow to ar dy.

The same solution may be used in **provident for immersion** or spray type machines providing 2 to 5 minutes contact time for safitizing dishes, glasses, food processing equipment and utensils. Prior to sanitizing items remove gross food particles and soil by a pre-flush or pre-scrape and, when necessary pre-soak treatment. Items require thorough washing of surfaces with a detergent or compatible cleaner, followed by a potable water rinse before application of the sanitizing solution. If using 100 ppm solution, no potable water rinse is permitted after sanitizing. The items are then ready for use.

THE SANITIZING SOLUTION SHOULD BE USED PROMPTLY AFTER MIXING. If the solution is allowed to stand or is reused and tests show the level of chlorine has not been maintained, additional Detergent Sanitizer should be added to maintain a minimum concentration of 100 ppm available chlorine.

Chlorina Detergent S

Active Ingredients:

Sodium dichloro-s-triazinetrione dihydr (provides 3.2% available chlorine)

Inert Ingredients

KEEP OUT OF THE REACH O DANGER

See other precentionary and first aid state-

NET WEIGHT: 8

CARROLL COMPANY • 2900 W. Kingsley Rd. • Garland, Texas

.

uted	
ani	tizer
ite	5.6%
FCHILDR	94.4% EN.
ents on right BS.	ewed. Registrant claims to be in accordance will
7504	hemical Special ties

PRECAUTIONARY STATEMENTS-HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER

DANGER Corrosive. Causes eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles and rubber gloves when handling. Harmful or fatal if swallowed. Avoid breathing dust. Wash thoroughly with scup and water after handling.

STATEMENT OF PRACTICAL TREATMEN1 If swallowed-drink promptly a large quantity of water. Do not induce vomiting. Avoid alcohol. Get medical attention. If in eyes-flush with plenty of avater for 15 minutes. Get medical attention. If on skin-wash with plenty of soap and water. Get medical attention if irritation persists.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage. PHYSICAL AND CHEMICAL HAZARDS -- STRONG OXIDIZING AGENT

This product is a strong oxidizing agent. Use only clean, dry scoops and mix with water buy. Nixing other chemicals or gross filth will start a chemical reaction resulting in release of tox of gase there and possible fire. In case of decomposition, isolate container in open and possible, and flood with large volumes of water.

STORAGE AND DISPOSAL: Store in a cool, dry area away from direct sunlight or heat. In case of spill, flood area with large quantites of water. Rinse empty container thoroughly with water and discard by placing in trash collection or burying in approved landfill area. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, and ponds. Treated effluent should not be discharged into lakes, streams, ponds, or public waters unless in accordance with NPDES permit. For guidance, consult the regional office of EPA.

EPA Reg. No. 4313-49

EPA Est. 4313-TX-1