

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This is an extremely effective cleaner and disinfectant. Recommended for general hospital use on hard, non-porous surfaces such as floors, walls, woodwork, and equipment in all departments.

For disinfection, use 1/2 oz. to each gallon of water. This product is effective in controlling *Staphylococcus aureus*, *Pseudomonas aeruginosa*, *Salmonella choleraesuis*, *Mycobacterium tuberculosis* var *bovis* (BCG), *Trichophyton mentagrophytes*.

Before disinfecting, remove heavy soil and thoroughly pre-clean surfaces. Apply solution; allow to remain wet for at least ten minutes. Mop or wipe up. For heavy duty cleaning, first remove loose soil. Use 2 oz. per gallon of water, mop or wipe on; allow to soak several minutes, remove.

For rapid cleaning, use 4 oz. per gallon of water in automatic scrubbing machines. Always rinse floors before applying polish or wax.

For daily maintenance of waxed floors, damp mop with solution of 1-1/2 oz. per gallon of water to remove most soils.

Recommended for use in hospitals, clinics, veterinary hospitals, rest homes, athletic departments, industrial plants — where a need exists to clean and disinfect thoroughly.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Do not reuse empty container. Triple rinse and dispose of in an incinerator or landfill approved for pesticide containers, or bury in a safe place. Pesticide, spray mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

EPA Reg. No. 4313-51

EPA Est. 4313-TX-1

CARROLL**CARROLL****CARROLL**

4313-51 1-29-72 P14 322

Super Oxide

HOSPITAL CLEANER-DISINFECTANT

FUNGICIDAL TUBERCULOCIDAL PSEUDOMONACIDAL

Active Ingredients:

Potassium ortho-benzyl-para-chlorophenate	10.10%
Potassium ortho-phenylphenate	4.90%
Potassium para-tertiary-amylphenate	2.50%

Inert Ingredients: 82.50%

DANGER

KEEP OUT OF THE REACH OF CHILDREN.

See other precautionary and first aid statements on right panel.

1 U.S. GALLON/3.8 LITERS

Not Reviewed. Registrant claims to be in accordance with
Registration of Federal Food, Drug, and Cosmetic Act for Phase 2
Fungicide, Pesticide, and Disinfectant. See in Status.

PRECAUTIONARY STATEMENT
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS.

DANGER: Causes eye damage
irritation. Do not get in eyes, on skin,
clothing. Wear goggles or face shield and
gloves when using. Harmful if swallowed.
Avoid contamination of food.

FIRST AID: In case of contact
immediately flush eyes or skin with plenty of
water for at least 15 minutes. For eyes, call a
physician. Remove and wash contaminated
clothing before reuse.

If swallowed, promptly drink a large glass
of milk, egg whites, gelatin solution. If
are not available, drink large quantities of
water. Call a physician immediately.

DO NOT USE, POUR, SPILL, OR
NEAR HEAT OR OPEN FLAME.