

# DANGER

Keep Out Of Reach Of Children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling concentrate. Harmful if swallowed. Avoid contamination of food.

## FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

## NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND DISCARD.

# COMBO

## CLEANER - DISINFECTANT

### DEODORIZER

### FUNGICIDE

#### ACTIVE INGREDIENTS:

Sodium Metasilicate . . . . .	2.4%
Tetrasodium ethylenediamine tetracetate . . . . .	1.0%
n-Alkyl (60% C <sub>14</sub> , 30% C <sub>16</sub> , 5% C <sub>12</sub> , 5% C <sub>18</sub> ) dimethyl benzyl ammonium chlorides . . . . .	0.8%
n-Alkyl (68% C <sub>12</sub> , 32% C <sub>14</sub> ) dimethyl ethylbenzyl ammonium chlorides . . . . .	0.8%

INERT INGREDIENTS: . . . . . 95.0%

# DANGER

## KEEP OUT OF REACH OF CHILDREN

See left panel for additional precautionary and first aid statements

# CARROLL

# CARROLL

# CARROLL

This gener  
is of  
move  
Follow  
in ind  
To d  
gallon  
For s  
ment  
200  
water

# BO

## DISINFECTANT FUNGICIDE

- . . . . . 2.4%
- . . . . . 1.0%
- . . . . . 0.8%
- . . . . . 0.8%
- . . . . . 95.0%

This is a heavy duty cleaner and disinfectant designed for general purpose use where heavy duty cleaning and sanitizing is of prime importance. When used as directed, it will remove most dirt and grime in a single, simple application. Follow the Use Directions. Use on walls, floors, table tops, in industrial plants, offices, motels, and schools.

To disinfect against *Pseudomonas aeruginosa*, use 6 oz. per gallon of water.

For sanitization of previously cleaned food processing equipment or food contact items, limit the active quaternaries to 200 ppm (8 oz. per 5 gallons water). Rinse with potable water after treatment.

E.P.A. Reg. No. 4313-53  
E.P.A. Est. 4313-TX-1

### USE DIRECTIONS

**DISINFECTION:** For heavy duty cleaning and disinfecting and fungicidal activity against pathogenic fungi, use 4.5 oz per gallon. For best results, use a cloth or mop and apply walls, floors, table tops, and counters.

**SANITIZATION:** For light duty cleaning, sanitizing and deodorizing, use 2 oz. per gallon. If used for sanitization of previously cleaned food contact items, limit the level to 200 ppm of quaternaries, (8 oz. per 5 gal. water). Rinse with potable water after treatment.


For extra heavy industrial cleaning and sanitizing, use a second application.

Do not mix with soap or anionic solutions.

This product is non-corrosive in use dilutions on inanimate hard surfaces.

CHILDREN  
and first aid statements

1 U. S. GALLON  
3.785 liters



CARROLL COMPANY  
2900 W. Kingsley Rd.  
Garland, Texas 75041  
214 278-1304

