it is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This is a heavy duty cleaner and disinfectant designed for general purpose use where heavy duty cleaning is of prime importance. When used as directed, it will remove most dirt and grime in a single, simple application. Follow the Use Directions. Use on walls, floors, table tops and other hard, non-porous surfaces in industrial plants, offices, motels, schools.

To disinfect against Pseudomonas aeruginosa, usa 6 ounces per gallon of water. Clean and disinfect whirlpool equipment using a dilution of 6 ounces per gallon of water.

DISINFECTION: For heavy duty cleaning and disinfecting and fungicidal activity against pathogenic fungi, use 4.5 ounces per gallon of water. For best results, use a cloth or mop and apply to walls, floors, table tops, counters, other non-porous surfaces.

For light duty cleaning and deodosizing, use 2 ounces per gallon of water. For extra heavy industrial Pdianing, Juse 2, Scond application. Do not mix with soap or anionic solutions, This product is non-corrosive in use dilutions on inanimate hard surfaces.

## COMBO

### **CLEANER - DISINFECTANT**

**DEODORIZER** 5

**FUNGICIDE** 

#### ACTIVE INGREDIENTS:

n-Alkyl (60% C14, 30% C16, 5% C12, 5%	C	18	)		
dimethyl benzyl ammonium chlorides					0.8%
n-Alkyl (68% C12, 32% C14) dimethyl		•			
ethylbenzyl ammonium chlorides	, ,	,			0.8%
INERT INGREDIENTS:				_	98.45

KEEP OUT OF REACH OF CHILDREN.

#### DANGER

See right panel for additional precautionary and First Aid statements

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Keep Out of Reach of Children, Corrosive, Causes severe eve

and skin damage. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling concentrate. Harmful if swallowed. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg white, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

**NOTE TO PHYSICIAN** 

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Do not reuse empty container. Triple rinse and dispose in an incinerator or landfill approved for pesticide containers. Pesticide, spray mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides.

1 U.S. GALLON/3.8 LITERS



#### CLEANER - DISINFECTANT **DEODORIZER FUNGICIDE**

**ACTIVE INGREDIENTS:** 

n-Alkyl (60% C14, 30% C16, 5% C12, 5%	6 (	318	B)			
dimethyl benzyl ammonium chlorides					•	0.8%
• • • Alkyl (68% C12, 32% C14) dimethyl						
etbylbeggyl ammonium chlorides .	•	٠	•	•	•	0.8%
MERT INGREDIENTS:	•	٠	٠	•	•	98.45

KEEP OUT OF REACH OF CHILDREN.

met for additional precautionary and First Aid statements.

**USE DIRECTIONS** 

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This is a heavy duty cleaner and disinfectant designed for general purpose use where heavy duty cleaning is of prime importance. When used as directed, it will remove most dirt and grime in a single, simple application. Follow the Use Directions. Use on wells, floors, table tops and other hard, non-porous surfaces in industrial plants, offices, motels, schools.

To disinfect against Pseudo mones aeruginose, use 6 ounces per gellon of water. Clean and disinfect whirlpool equipment using a dilution of 6 ounces per gellon of water.

DISINFECTION: For heavy duty cleaning and disinfecting and fungicidal activity against pathogenic fungi, use 4.5 ounces per gallon of water. For best results, use a cloth or mop and apply to walls, floors, table tops, counters, other non-porous surfaces.

For light duty cleaning and deodorizing, use 2 ounces per gallon of water. For extra heavy industrial changing, use a second application. Do not mix with easy examinationsolutions. This product is non-corrosive in use diffitions on infiffemate hard surfaces.

EPA Reg. No. 4313-53

EPA Est. No. 4313-TX-1

1: J.S.: GALLON/3.8-LITERS

# COLED

## **CLEANER - DISINFECTANT**

**DEODORIZER** ,

**FUNGICIDE** 

#### ACTIVE INGREDIENTS:

n-Alkyl (60% C14, 30% C16, 5% C12, 5% C dimethyl benzyl ammonium chlorides n-Alkyl (68% C12, 32% C14) dimethyl	•	_	•	0.8%
ethylbenzyl ammonium chlorides				0.8%
INERT INGREDIENTS:				98.45

KEEP OUT OF REACH OF CHILDREN.

#### DANGER

See right panel for additional procautionary and First Aid statements

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Keep Out of Reach of Children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling concentrate. Harmful if swallowed. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg white, gelatin solution, or if these are

not available, drink large quantities of water. Call a physician-NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric levage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Do not reuse empty container. Triple rinse and dispose in an incinerator or landfill approved for pesticide containers. Pesticide, spray mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides.

1 U.S. GALLON/3.8 LITERS



## **CLEANER - DISINFECTANT**

DEODORIZER

**FUNGICIDE** 

#### **ACTIVE INGREDIENTS:**

n-Alkyl (60%,C14, 30% C16, 5% C12, 5% C18)	
dimethy) benzy ambogium chlorides	0.8%
n-Alkyl (68%°C12, 32% C14) dimethyl	
ethylbenzyl ammonium chlorides	0.8%
INERT INGREDIENTS:	98,45
KEEP OUT OF REACH OF CHILDREN.	
DANGER	
See left panel for additional precautionary and First Aid state	ments.