

10F2
Pm 31
+ 12-57

ACCEPTED
SEP 21 1977
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
EPA Reg. No. **4313-54**
registered under

DANGER

Keep Out Of Reach Of Children.

Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling concentrate. Harmful if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available drink large quantities of water. Call a physician.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Rinse empty container thoroughly with water and discard.

MULTI-Q SANITIZER

DISINFECTANT · DEODORIZER · SANITIZER · FUNGICIDE

ACTIVE INGREDIENTS:

n-Alkyl (60% C₁₄, 30% C₁₆, 5% C₁₂, 5% C₁₈)
dimethyl benzyl ammonium chlorides . . . 5.0%
n-Alkyl (68% C₁₂, 32% C₁₄) dimethyl
ethylbenzyl ammonium chlorides . . . 5.0%

INERT INGREDIENTS: 90.0%

**THIS PRODUCT IS A CONCENTRATE
AND SHOULD BE DILUTED BEFORE USING.**

DANGER

KEEP OUT OF THE REACH OF CHILDREN.
See other precautionary and first aid statements on left panel.

This product when used on environmental, inanimate, hard surfaces at 3-1/2 oz. per 5 gallons of water is effective against Influenza A₂, Herpes Simplex, Adenovirus type 5, and Vaccinia Viruses.

COLD DISINFECTION: For disinfection of previously cleaned surgical instruments, barber tools and dental equipment, simply submerge instruments into solution containing 1-1/2 ounces Sanitizer per gallon of water for 10 minutes.

EPA REG. NO 4313-54
EPA Est. 4313-TX-1

1 U. S. GALLON
3.785 liters

Keep away from humans, domestic animals, and pets. May be fatal or harmful if swallowed. Avoid eye or skin contact. Do not breathe dust. Avoid contamination of feed or food stuffs. Prevent the contact of bait with acids. Wash hands thoroughly with soap and water after use.

ENVIRONMENTAL HAZARDS

This product is toxic to wildlife and fish. Birds and other wildlife feeding in treated areas may be killed. Use with care when applying in areas frequented by wildlife or adjacent to any body of water. Keep out of lakes, ponds, or streams. This product shall not be applied over bodies of water, in areas inhabited by livestock, or where a hazard exists to rare or endangered species. Do not contaminate water by cleaning of equipment or disposal of wastes.

ENDANGERED SPECIES CONSIDERATIONS

Whooping Crane (*Grus americana*)
Do not use this product 30 days prior to arrival and 30 days after the whooping crane leaves its known critical habitat.

Attwater's Greater Prairie Chicken (*Tympanuchus cupido attwateri*)

Do not use this product in critical habitat of the Attwater's greater prairie chicken in the following Texas counties: Aransas, Austin, Brazoria, Colorado, De Witt, Ft. Bend, Galveston, Goliad, Harris, Refugio, Victoria, Waller, and Wharton.

Yellow-Shouldered Blackbird (*Agelaius xanthomus*) and Puerto Rican Plain Pigeon (*Columba inornata websteri*)

Do not use in critical habitat except in tamper-proof bait boxes: within 6.3 miles of central Aguirre Lago Cicra, Ceiba, San German; 9.4 miles of La Esperanza; south of highway 2 from city at Mayaquez to the city of Ponce, and all of Mona Island, Puerto Rico.

Utah Prairie Dog (*Cynomys parvidens*)

Do not use this product in critical habitat of the Utah prairie dog. (Utah)

Salt Marsh Harvest Mouse (*Reithrodontomys raviventris*)

Do not use this product in critical habitat within 0.5 mile of salt marsh vegetation and/or brackish water wetlands which are located: 1) near or adjacent to San Pablo Bay and San Francisco Bay, or 2) in the Sacramento River below or adjacent to the confluence of the Sacramento River and the San Joaquin River. (California)

Morro Bay Kangaroo Rat (*Dipodomys heermanni morroensis*)

Do not use this product in critical habitat within 2.5 miles of Baywood Park which is located on Morro Bay. (California)

Aleutian Canada Goose (*Branta canadensis leucopareis*)

Do not use this product from October to March in the federally closed goose hunting areas in the State of California. See current duck and goose hunting game laws for current map.

ZINC PHOSPHIDE CONCENTRATE

FOR MOUSE CONTROL

For the control of meadow and pine voles, and white-footed mice in orchards and groves.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

AUG 31 1988

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide
registered under EPA Reg. No.

ACTIVE INGREDIENT:

Zinc Phosphide 36.8%

INACTIVE INGREDIENTS: 63.2%

TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN DANGER—POISON



STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY!

Any person applying zinc phosphide products and experiencing signs or symptoms such as nausea, abdominal pain, tightness in the chest or weakness, should be seen by a physician immediately.

If swallowed, drink 1-2 glasses of water and induce vomiting by touching the back of the throat with the finger. Avoid the use of all oils. Have person lie down and keep warm. Do not induce vomiting or give anything by mouth to an unconscious person.

If on skin or eyes, flush with plenty of water.

UNITED STATES DEPARTMENT OF AGRICULTURE
ANIMAL AND PLANT HEALTH INSPECTION SERVICE
NATIONAL TECHNICAL SUPPORT STAFF/ADC

Hyattsville, MD 20782
EPA Est. No. 56228-ID-1
EPA Reg. No. 56228-6

Net Weight oz.

PESTICIDE DISPOSAL: FesGcide wastes are acutely hazardous. Improper disposal of excess pesticide, spilled bait, or treated is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by State and local authorities.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS: For control of meadow and pine voles (*Microtus spp.*) and white-footed mice (*Peromyscus spp.*) in orchards and groves. Apply bait after harvest while the orchard or grove is in a nonbearing phase. Do not apply on bare ground or growing crops. Wear rubber gloves when handling bait. Do not graze animals in treated areas.

MIXING: Use concentrates for making baits in open areas, especially if the baiting material is wet. Do not breathe any dry bait; use respiratory protection when mixing baits. Due to compaction of contents, can should be shaken before opening. Gradually mix one level teaspoon with 1 quart cubed apples (1/2" cubes). Bait material resembling human food must be altered in form by crushing, balling, dicing, or pelleting so that it is not readily recognizable food.

Keep products away from children, irresponsible individuals, domestic animals, pets, and poultry.

BAITING: Place 1 or 2 cubes at frequent intervals in active trails under the cover of grass near the base of infested trees. Do not place the bait on bare ground. Do not retreat the same area with zinc phosphide at less than 30-day intervals. Do not exceed application rates specified on label.

373

2012

USE DIRECTIONS

GENERAL PURPOSE: For sanitizing and disinfecting floors, walls and inanimate hard surfaces. For Schools, Homes, Locker Rooms, Garbage Pails, Sink Tops, Corridors, Classrooms, Offices, and Shower Stalls. Apply solution with mop or cloth. Sanitize with 1 ounce Sanitizer to 4 gallons of water. Disinfect with 3 ounces Sanitizer to 5 gallons of water. Kills Staphylococcus aureus, Salmonella choleraesuis, and Trichophyton mentagrophytes. For heavily soiled or contaminated areas, a pre-cleaning step is recommended.

HOSPITALS: For floors, walls, and other hard surfaces. In Nursing Homes, Institutions, for Sink Tops, Garbage Pails, Telephones, and Restrooms, use Sanitizer at 3-1/2 ounces per 5 gallons of water. Apply with cloth, mop, or sponge. At this level, Sanitizer will be effective against Pseudomonas aeruginosa. For heavily soiled or contaminated areas, a pre-cleaning step is recommended.

FOOD PROCESSING EQUIPMENT: For sanitization of previously cleaned food processing equipment and food utensils, dilute 1 oz. Sanitizer per 4 gallons of water to provide 200 ppm of active quaternaries. At this level, no potable rinse water is required.

DAIRIES: To sanitize dairy equipment such as tanks, lines, pails, and milk cans, first clean and rinse the equipment thoroughly. Then apply solution containing 1 oz. Sanitizer to 4 gallons of water (200 ppm). At this level no potable water rinse is required. Follow recommendations of local Health Board.

RESTAURANT AND BAR RINSE: Dishes, glassware, silverware, cooking utensils, wash with soap or synthetic detergent; rinse thoroughly and immerse in a sanitizing solution containing 1 oz. Sanitizer to 4 gallons of water. No terminal potable water rinse required.

CARROLL

CARROLL COMPANY
2900 W. Kingsley Rd.
Garland, Texas 75041
214 278-1304

CARROLL

CARROLL

6