

8

PC 750 10-88

**PRECAUTIONARY STATEMENTS  
HAZARD TO HUMANS AND DOMESTIC ANIMALS**

**DANGER** Keep Out of Reach of Children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food.

**STATEMENT OF PRACTICAL TREATMENT**

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink egg whites, gelatin solution, or if these are not available drink large quantities of water. Call a physician.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

**STORAGE AND DISPOSAL**

**DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL.**

**STORAGE:** Keep container closed when not in use. Do not store near heat or open flame. **PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **CONTAINER DISPOSAL:** Metal Containers—Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic Containers—Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

# MULTI-Q SANITIZER

**DISINFECTANT · DEODORIZER · SANITIZER · FUNGICIDE**

**ACTIVE INGREDIENTS:**

n-Alkyl (60% C<sub>14</sub>, 30% C<sub>16</sub>, 5% C<sub>12</sub>, 5% C<sub>18</sub>) dimethyl benzyl ammonium chlorides . . . . . 5.0%

n-Alkyl (68% C<sub>12</sub>, 32% C<sub>14</sub>) dimethyl ethylbenzyl ammonium chlorides . . . . . 5.0%

**INERT INGREDIENTS:** . . . . . 90.0%

**THIS PRODUCT IS A CONCENTRATE  
AND SHOULD BE DILUTED BEFORE USING**

EPA Reg. No. 4313-54 EPA Est. 4313-TX-1

**KEEP OUT OF THE REACH OF CHILDREN.**

**DANGER**

See other precautionary and first aid statements on left panel.

NOT REVIEWED  
In Accordance with PR Notice 82-2.  
Based on Draft Labeling Dated 8-87

**CARROLL**

**CARROLL**

**CARROLL**

**CARROLL**

**CARROLL**

12/1

282

43,3-54

pp. 31

This product when used on environmental, inanimate, hard surfaces at 3-1/2 ounces per 5 gallons of water is effective against Influenza A<sub>2</sub>, Herpes Simplex, Adenovirus type 5, and Vaccinia Viruses.

**DIRECTIONS FCP**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**GENERAL PURPOSE:** For sanitizing and disinfecting floors, wall and inanimate hard surfaces. For Schools, Classrooms, Locker Rooms, Corridors, Offices, Garbage Pails, Sink Tops, and Shower Stalls. Apply solution with mop or cloth. Sanitize with 1 ounce of Sanitizer to 4 gallons of water. Disinfect with 3 ounces Sanitizer to 5 gallons of water. Kills Staphylococcus aureus, Salmonella choleraesuis, and Trichophyton mentagrophytes. For heavily soiled or contaminated areas, a pre-cleaning step is recommended.

**HOSPITALS:** For floors, walls, and other hard surfaces. In Nursing Homes, Institutions, for Sink Tops, Garbage Pails, Telephones, and Restrooms, use Sanitizer at 3-1/2 ounces per 5 gallons of water. Apply with cloth, mop, or sponge. At this level, Sanitizer will be effective against Pseudomonas aeruginosa. For heavily soiled or contaminated areas, a pre-cleaning step is recommended.

**COLD DISINFECTION:** For disinfection of previously cleaned surgical instruments, barber tools and dental equipment, simply submerge instruments into solution containing 1-1/2 ounces Sanitizer per gallon of water for 10 minutes.

**FOOD PROCESSING EQUIPMENT:** For sanitization of previously cleaned food processing equipment and food utensils, dilute 1 oz. Sanitizer per 4 gallons of water to provide 200 ppm of active quaternaries. Immerse or allow to stand in solution for one minute, allow to drain, and air dry.

**RESTAURANT AND BAR RINSE:** Dishes, glassware, silverware, cooking utensils, wash with nonionic detergent; rinse thoroughly and immerse in a sanitizing solution containing 1 oz. Sanitizer to 4 gallons of water, for one minute, allow to drain, and air dry.

**DAIRIES:** To sanitize dairy equipment such as tanks, lines, pails, and milk cans. First clean and rinse the equipment thoroughly. Then apply solution containing 1 oz. Sanitizer to 4 gallons of water (200 ppm). Keep wet for one minute, allow to drain, and air dry. Follow recommendations of local Health Board.

**1 U.S. GALLON/3.8 LITERS**

**CARROLL**

**CARROLL COMPANY**  
2900 W. Kingsley Rd.  
Garland, Texas 75041  
214 278-1304

**CARROLL**

**CARROLL**

Lo