

PM 31 4313-63

FEB 22 1989

Carroll Company
2900 West Kingsley Road
Garland, TX 75041

Attention: Linda Kirk Kirby
Regulatory Affairs Manager

Gentlemen:

Subject: Carroll Quat 9.0
EPA Registration No. 4313-63
Your Submission Dated February 17, 1989

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling.
 - a. Revise "cross infection" to read "cross contamination."
 - b. Delete Sanitizer from the label.
 - c. Revise "pre-cleaning step is recommended" to read "pre-cleaning step is required."
 - d. Include the following statement to the Disinfection section:

Thoroughly wet all surfaces. Allow to remain wet for 10 minutes and then let air dry.
Prepare a fresh solution for each use.

2. Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

50404;I;Lee;L-13;KENCO;02/22/89;04/04/89;CL;vo;rw

CONCURRENCES

SYMBOL								
SURNAME								10/3
DATE								

-2-

A stamped copy of the labeling is enclosed for your records.

If you have any questions concerning this letter, please contact
Valdis Goncarovs at (703) 557-3663.

Sincerely yours,



John H. Lee
Product Manager (31)
Antimicrobial Program Branch
Registration Division (TS-767C)

Enclosure

PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS & DOMESTIC ANIMALS

DANGER

KEEP OUT OF REACH OF CHILDREN. CORROSIVE. Causes eye damage and skin irritation. Do not get in eyes, or on skin or clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contact with food.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of egg white, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician or get other medical attention immediately. **NOTE TO PHYSICIAN:** Probable minimal damage may contraindicate use of gastric lavage.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

STORAGE: Store in a dry place at least at temperature than 50°F or higher than 120°F. **DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **CONTAINER DISPOSAL:** Metal Containers—Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic Containers—Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

This product is a concentrated detergent, disinfectant, fungicide and deodorizer. It is specifically designed for institutional use such as hospitals, nursing homes, and schools where housekeeping will be of prime importance in controlling the hazard of cross-infection from environmental surfaces.

This product is for use on floors, walls, and other hard surfaces in hospitals, nursing homes, hotels, public areas, and in institutions. It is especially for operating rooms, rest rooms, nurseries and food service areas.

When used as directed, this product is effective against *Staphylococcus aureus*, *Salmonella enteritidis* and *Pseudomonas aeruginosa*. This product is also effective against pathogenic fungi & *Trichophyton interdigitale*.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DISINFECTION—Use at 1 oz. per gallon of water. This product will be effective against *Pseudomonas aeruginosa* at this level. At 1 oz. per gallon of water, this product is fungicidal against pathogenic fungi, *Trichophyton interdigitale*. For best results, use this product as directed above with a cloth or mop and apply to walls, floors and other hard surfaces. For heavy soil or organic matter, a pre-cleaning step is recommended. This product when used on environmental, inanimate, hard surfaces at 1 ounce per gallon of water, is effective against Influenza A₂ (Japan), Herpes Simplex Type 1, Adenovirus Type 2, and Vesicular viruses.

KILLS HIV-1 ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:

PERSONAL PROTECTION: Specific barrier protection items to be used when handling items soiled with blood or body fluids are disposable latex gloves, gowns, masks, or eye coverings.

CLEANING PROCEDURE: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before applications of the disinfectant.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be collected and disposed of according to federal, state and local regulations for infectious waste disposal.

CONTACT TIME: Leave surfaces wet for 10 minutes.

EPA Reg. No. 4313-63
EPA Est. 4313-TX-1

CARROLL

CARROLL

CARROLL

CARROLL

CARROLL