


PM31 4313-63

1962

# CARRROLL'S

**CONCENTRATED DETERGENT, FUNGICIDE, DISINFECTANT, DEODORIZER, VIRUCIDE\***



**1 U.S. GALLON**

# CARRROLL

**3.8 LITERS**

**ACCEPTED**  
JUN 3 1996  
Under the Federal Insecticide, Fungicide, and Rodenticide Act, registered under EPA Reg. No. 4313-63

**ACTIVE INGREDIENTS**

n-Alkyl (C-14 60%, C-16 30%, C-12 5%, C-18 5% dimethyl benzyl ammonium chlorides 4.50%  
n-Alkyl (C-12 68%, C-14 32% dimethyl ethyl benzyl ammonium chlorides 4.50%

**INERT INGREDIENTS**

91.00%

**THIS PRODUCT IS A CONCENTRATE AND SHOULD BE DILUTED BEFORE USING**

**KEEP OUT OF REACH OF CHILDREN**

**DANGER:** See back panel for additional precautionary and statements

# CARROLL QUATAC

This product is a concentrated detergent, disinfectant, fungicide and deodorizer. It is specifically designed for use in institutions such as hospitals, nursing homes, and schools where housekeeping will be of prime importance in controlling the hazard of cross-contamination from environmental surfaces.

This product is for use on floors, walls, and other hard surfaces in hospitals, nursing homes, hotels, public areas, and in institutions. It is excellent for operating rooms, rest rooms, nurseries and food service areas. When used as directed, this product is effective against Staphylococcus aureus, Salmonella choleraesuis and Pseudomonas aeruginosa. This product is also effective against pathogenic fungi and Trichophyton mentagrophytes.

#### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. **DISINFECTION**—Use at 1 oz. per gal. of water. This product will be effective against Pseudomonas aeruginosa at this level. At 1 oz. per gal. of water, this product is fungicidal against pathogenic fungi, Trichophyton mentagrophytes. For best results, use this product as directed above with a cloth or mop and apply to walls, floors, and other hard surfaces. For heavy soil or organic matter, a precleaning step is required. This product, when used on environmental, inanimate, hard surfaces at 1 oz. per gal. of water, is effective against Influenza A2 (Japan), Herpes Simplex Type 1, Adenovirus Type 2, and Vaccinia viruses. Thoroughly wet all surfaces. Allow to remain wet for 10 min., then let air dry. Prepare a fresh solution for each use. This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection. **\*KILLS HIV-1 ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus, Type 1 (HIV-1) (associated with AIDS).

#### SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:

**PERSONAL PROTECTION:** Specific barrier protection items to be used when handling items soiled with blood or body fluids are disposable latex gloves, gowns, masks, or eye coverings. **CLEANING PROCEDURE:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of disinfectant. **DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids should be autoclaved and disposed of according to federal, state, and local regulations for infectious waste disposal. **CONTACT TIME:** Leave surfaces wet for 10 minutes.

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER:** KEEP OUT OF REACH OF CHILDREN. CORROSIVE. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

#### STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink promptly a large quantity of water. Avoid alcohol. Call a physician or get other medical attention immediately. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

**STORAGE AND DISPOSAL: DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.**

**STORAGE:** Store in a dry place no lower in temperature than 50°F or higher than 120°F. **PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **CONTAINER DISPOSAL:** Plastic Containers—Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

EPA Reg. No. 4313-63

EPA Est. No. 4313-TX-1

# CARROLL

COMPANY

2900 W. Kingsley Road  
Garland, Texas 75041  
(214) 278-1304