Reg # U313-79 PM-15 132

SEP 1 7 1990

345 250553 37/ 37/

Mr. Robert H. Martin Aerosol Director Carroll Company 2900 West Kingsley Road Garland, TX 75041

Dear Mr. Martin:

Subject: Additional Container Size and Product

Chemistry Information

CARROSOL Total Release Insect Fogger

EPA Registration No. 4313-79

Your Submissions Dated May 5 and October 20, 1988

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided that you make the labeling change and/or submit the information listed below before you release the product for shipment bearing the amended labeling:

- In the Physical or Chemical Hazard section, add the word "Extremely" before Flammable, or submit the actual data.

Submit five (5) copies of your final printed labeling before you release this product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

George T. LaRocca Product Manager (15) Insecticide-Rodentic de Branch Registration Division (H7505C)

Enclosure

59480:I:Heyward:L15-6:KENCO:08/30/90:09/28/90:CL:VO:EK:CL

CONCURRENCES								
SYMBOL								
SURNAME								
DATE								

EPA Form 1320-1 (12-70)



Hermful if swallowed Avoid inhalation of vapors Avoid contact with akin, eyes or clothing Wash contaminated skin promptly with soap and warm water For eyes, flush with plenty of water Get medical attention if irritation persists. Avoid contamination of food and feedstuffs

Do not use in commercial food processing. preparation, serving or storage areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed

Remove pets, birds and cover fish equaliums before spraying

> STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED - Do not induce vomiting IF SWALLOWED — Do not induce vomiting because of aspiration hazard. Get medical attention. IF ON SKIM: Wash off with soap and warm water. Get medical attention if irritation persists. IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists. IF INHALED: Remove victim to fresh air and call a physician if effects.

> PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE! Contents under pressure not use or store near heat or open flame. Do not puncture or incinerate container. Exposure temperatures above 120°F may bursting



TOTAL RELEASE INSECT FOGGER SPRAY

FOR USE IN ROOMS + APARTMENTS + OFFICES + RESTROOMS WAREHOUSES • CAMPERS • BOATS • STORAGE AREAS GARAGES • BOX CARS • TRUCKS • SCHOOLS • THEATRES KILLS FLIES . COCKROACHES . FLEAS SAW-TOOTHED GRAIN BEETLES . TICKS CONFUSED FLOUR BEETLES . RICE WEEVILS SMALL TLYING MOTHS . PILL BUGS, . CRICKETS. ONE UNIT TREATS UP TO \$,000 CUBIC FEET

ACTIVE INGREDIENTS:

Tetramethrin [(1-Cyclohexene-1,2-dicarboximido) methyl 2,2 dimethyl-3-(2-methylpropenyl) cyclopropenecarboxylate)

"Cyano (3-phenoxyphenyl) methyl 4-chloro-alpha-(1-methylethyl) benzenescetate INERT INGREDIENTS:+

0 200%

0.400% 99 400% TOTAL 100 000%

Licensed under U.S. Patent No. 4,062,968 of Sumitomo Chemical EVERCIDE® — Registered Trademark of McLaughlin Gormley King

Company
+Contains petroleum distillates

KEEP OUT OF REACH OF CHILDREN CAUTION:

See left panel for additional precautionary statements.

NET WT. 10 OZ. (284 GM.)



2900 W. KINGSLEY RD. GARLAND, TX 75041

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its

Do not use this product in or on electrical equipment due to the possibility of shock hazard. Cover exposed food, dishes and foodhandling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing Use one unit for each 5,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. The, place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and win-dows and allow to air for 30 minutes. Repeat spraying in two weeks or when

STORAGE AND DISPOSAL STORAGE: do not store in direct sunlight. Store at temperatures below 120°F

CONTAINER DISPOSAL: Do not reuse empty container. Replace cap, wrap in paper and discard containers in trash. Do not incinerate or puncture EPA Reg No 4313-79 EPA Est No 4313-TX-1

YOUR PERFORMANCE PARTNER

DALLAS (Garland)

CHICAGO

ATLANTA (Macoin). ...

