APR 28 100

300 5407737

Ms. Linda Kirk Kirby Carroll Company 2900 W. Kingsley Road Garland, TX 75041

Dear Ms. Kirby.

Subject: Revised Labeling and Citation of Storage Stability Data

Total Release Insect Fogger Spray

EPA File Symbol 4313-85

Your Submission Dated November 22, 1991

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

The storage stability study referenced in support of this product registration is acceptable and has been made a part of the record for this product.

Sincerely

George T. LaRocca Product Manager (13) Insecticide-Rodenticide Branch Registration Division (H7505C)

Enclosure

## BEST AVAILABLE COPY

CONCURRENCES			
SYMBOL			
SUPHAME N M			
CATE \$ 3/14/92		1	
EPA Form 1320-1 (12-70)	Freign to Recard of Page	OFFICIAL FILE COPY	

# BEST AVAILABLE COPY

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION:

Causes moderate eye injury. Harmful if swallowed or inhaled. Contains petroleum distillate. Do not induce vomiting because of aspiration pneumonia hazard. Avoid breathing vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with plenty of soap and warm water after use. Obtain medical attention if irritation persists. Avoid contamination of food and feedstuffs.

Do not use in commercial food processing, preparation, food storage or serving areas. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Exposed food should be covered or removed.

Remove pets, birds, and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Do not induce vomiting because of aspiration pneumonia hazard. IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists. IF ON SKIN OR CLOTHING: Remove contaminated clothing and wash before re-use. Wash skin with soap and warm water. Get medical attention if irritation persists. IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

# TOTAL RELEASE INSECT FOGGER SPRAY

FOR USE IN ROOMS • APARTMENTS • HOMES • ATTICS BASEMENTS • CAMPERS • HOUSEHOLD STORAGE AREAS BOATS • GARAGES • PET SLEEPING AREAS • CABINS

ONE UNIT TREATS UP TO 6,000 CUBIC FEET

#### ACTIVE INGREDIENTS: Tetramethrin (1-Cudebayene 1 2-dicarboyimide)

Tetrametrini ((1-Cyclonexene-1, 2-dicarboximico)	,
methyl 2, 2-dimethyl-3-(2-methylpropenyl)	
cyclopropanecarboxylate]	0.20%
(S)-cyano (3-phenoxyphenyl) methyl-(S)-4-chloro-	
alpha-(1-methylethyl) benzeneacetate	0.10%
*INERT INGREDIENTS:	
1	00.00%

\*Contains petroleum distillate.

## KEEP OUT OF REACH OF CHILDREN CAUTION

See left panel for additional precautionary statemer...
NET WT. 10 OZ (284 GM)

CARROLL COMPANY 2900 W. KINGSLEY RD. GARLAND, TX 75041

### DIRECTIONS

DIRECTIONS F It is a violation of Federally uct in a manner inconsisten

This product will kill cockrose beetles, crickets, fleas, flour weevils, saw-toothed grain small flying moths, spiders,

Cover exposed food, dishe equipment. Open cabinets be treated. Shut off fans a Put out all flames and turn doors and windows. Point from face when releasing. It 6,000 cubic feet of unobstr ditional units for remote reflow of mist is not assured. area during treatment and before re-entry.

TO OPERATE VALVE: Pl

newspaper or pad on stan center of the room. Point from face. To lock valve is automatic discharge, press way duwn, hooking the cate on stand or table with valve building at once and keep two hours before airing out windows and allow to air is peat spraying in two weeks. TO KILL, TICKS AND FL old bedding and replace widing after treatment is come as above. Pets should be tered flea and tick control entering treated premises.

STORAGE AND STORAGE: Store in a cool heat or open flame. DISPI and discard container in tr ate or puncture.

EPA Reg. 4313-85

### ACCEPTED

APR 28

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.