7-25-88

Pacific Chem. Division Pace National Corporation 500 Seventh Avenue South Kirkland, WA 98033

Attention: Vickie Dee

Gentlemen:

Subject: Iocide

EPA Registration No. 4389-52

Your Amendment Dated June 1, 1988

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable subject to the comments listed below. Pive (5) copies of the finished labeling must be submitted.

Based on the pH of the product, the toxicity category should be I for local irritation (eye and skin). Change the signal word to "Danger" and add the following statements to the precautionary section:

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Wear safety glasses or goggles and rubber gloves when handling. Wash thoroughly after handling.

53325:I:Farmer:LK-8:KENCO:07/15/88:07/26/88:DD:JH:SG

CONCURRENCES									
SYMBOL	15-767C								
SURNAME	Harmen								
DATE	7/2/188								

EPA Form 1320-1 (12-70)

OFFICIAL FILE COPY

The foregoing statements may be revised if data are submitted to justify a reduction in the toxicity category.

Should you have questions, please call Arvella Farmer at (703) 557-6939.

Sincerely yours,

Jeff Kempter Product Manager (32) Disinfectants Branch Registration Division (TS-767C)

It is a vicilation of Federal Low to use this product in a manner inconsistent with its labeling.

To sanitize equipment, walls and floors in food plants, institutions, matels, schools hospitals and public places.

- 1. Remove gross food particles and soil by a pre-flush, or pre-scrape and when necessary, a pre-soak treatment.
- 2. Thoroughly clean surfaces or objects by applying detergent or compatible cleaner followed by a potable water rinse before applying the sanitizing solution.

 3. Apply proper use-solution onto surface, using spray, brush, of dip method

A Wide Spectrum Germicidal and Fungicidal ACTIVE INGREDIENTS:

3. Apply proper use-solution onto surf	oce, using spray, bru	nitizing solutions. sh. of dip meth	hod. lodine		
4.2.,	USE-SOLUTION:	<u> </u>	NERT INGREDIENTS		
APPLICATION	ADD PER GALLON WATER	ACTIVE GERMICIDE	with COMMENTS RISEPA Letter Dated:	TOTAL 100.0	
			*BUTOXYPOLYPROPOXYPO!	YETHOXYETHAN	
FOOD PROCESSING EQUIPMENT	1/3 02.	25 ppm	NUL 25 1988 IODINE COMPLEX		
FOOD PLANT ENVIRONMENT	1 1/3 oz,	125 ppm	No.		
HOSPITALS & INSTITUTIONS	loz.	100 բթտ կ	Tadar the rederal insect KINEP OUT OF REACH	OF CHILDREN	
RESTAURANT DISHES & GLASSES			Propolation and Declarational ACC 89	\A.I	
Dip For 2 Minutes (Minimum)	1.3 oz.	25 ppm	emailed for the posturies CACIII		
RESTAURANT TABLES & COUNTERS	1 02.	100 ppm		CAL TREATMEN	
GENERAL SANITIZING,	,		4/389-517 wallowed. Give large quantities of water o	milk ladve venition by	
DEODORIZING & DESTROYING	! 	2	linger to back of throat. Do no	t make an unconscious ness	
MOID	110	1.A.	inger to back of milati, be no	i make an unconscious pers	

No

Allow sanitizier to remain on surface for a minimum of 10 minutes contact time, for maximum sanitizing.

112 oz.

1.3 oz.

5. Drain the use-solution from the surface and air dry.

MOLD

HAND SANITIZING

- 6. Fresh sanitisting solution must be prepared at least uaily, or more often if the solution becomes diluted or soiled.
- See right side panel for additional directions on Storage & Disposal.

If in eyes: Flush with plenty of water for at least 15 minutes, then get me

attention.

Get medical attention immediately.

If on skin: Wash thoroughly with soop and water. If irritation is present a washing, get medical attention.

*U.S. PAT. NO. 3,028,299

NET CONTENTS: 0



PACIFIC CHEMIC

PO.BOX 558, 500 7th AVE SOUTH, KIRKLAND, WASH