

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

To sanitize equipment, walls and floors in food plants, institutions, motels, schools, hospitals and public places.

1. Remove gross food particles and soil by a pre-flush, or pre-scrub and when necessary, a pre-soak treatment.
2. Thoroughly clean surfaces or objects by applying detergent or compatible cleaner followed by a potable water rinse before applying the sanitizing solution.
3. Apply proper use-solution onto surface, using spray, brush, or dip method.

APPLICATION	USE-SOLUTION: ADD PER GALLON WATER	ACTIVE GERMICIDE	RINSE
FOOD PROCESSING EQUIPMENT	1/3 oz.	25 ppm	No
FOOD PLANT ENVIRONMENT	1 1/3 oz.	125 ppm	No
HOSPITALS & INSTITUTIONS	1 oz.	100 ppm	No
RESTAURANT DISHES & GLASSES			
Dip For 2 Minutes (Minimum)	1/3 oz.	25 ppm	No
RESTAURANT TABLES & COUNTERS	1 oz.	100 ppm	No
GENERAL SANITIZING, DEODORIZING & DESTROYING MOLD	1 1/2 oz.	150 ppm	No
HAND SANITIZING	1/3 oz.	25 ppm	No

4. Allow sanitizer to remain on surface for a minimum of 10 minutes contact time, for maximum sanitizing.

5. Drain the use-solution from the surface and air dry.

6. Fresh sanitizing solution must be prepared at least daily, or more often if the solution becomes diluted or soiled.

See right side panel for additional directions on Storage & Disposal.

10 MAR 1989

Under
Federal Insecticide,
Fungicide, and
Rodenticide Act, as amended, for the
pesticide registered under
EPA Reg. No. 4389-52



APPLIED SCIENCE

IOCID

588

A Wide Spectrum Germicidal and Fungicidal Agent

ACTIVE INGREDIENTS:

Iodine 1.2%
INERT INGREDIENTS 98.8%

TOTAL . . . 100.0%

*BUTOXYPOLYPROPXYPOLYETHOXYETHANOL
IODINE COMPLEX

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Give large quantities of water or milk. Induce vomiting by touching finger to back of throat. Do not make an unconscious person vomit. Get medical attention immediately.

If in eyes: Flush with plenty of water for at least 15 minutes, then get medical attention.

If on skin: Wash thoroughly with soap and water. If irritation is present after washing, get medical attention.

*U.S. PAT. NO. 3,028,299

NET CONTENTS: one gallon

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food, or feed by storage or disposal. For spills or leaks, apply absorbent material and sweep up.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved water disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) container. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

MICROBICIDAL PROPERTIES A.O.A.C. USE-DILUTION CONFIRMATION TEST

Organism	Dilution	Concentration
Staphylococcus aureus	1:120	100 ppm
Salmonella choleraesuis	1:120	100 ppm
Pseudomonas aeruginosa	1:120	100 ppm
Escherichia coli	1:480	25 ppm
Penicillium expansum-A. niger	1:80	150 ppm

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Wear safety glasses or goggles and rubber gloves when handling. Wash thoroughly after handling.

PRODUCT OF USA

EPA REG. NO. 4389-52
EPA EST. NO. 4389-WA-1

PACIFIC CHEMICAL

division Pace National Corp

PO BOX 558, 500 7TH AVE SOUTH, KIRKLAND, WASHINGTON 98033 USA (206) 827-8711