

DIRECTIONS

TIMING: For best results apply when weeds are less than 6 inches high.

APPLICATION: Mix recommended amounts with water and apply with sprayer or sprinkling can.

ANNUAL WEED AND GRASS CONTROL: For use in sprayer, mix 1 part XD-542 with 10 parts water. For sprinkling can application, mix 1 part with 40 parts water. Thoroughly wet foliage, stems and exposed root crowns with spray mixture.

PERENNIAL WEED AND GRASS CONTROL: For use in sprayer, mix 1 part with 5 parts water. For sprinkling can application, mix 1 part with 20 parts water. Thoroughly wet foliage, stems and exposed root crowns with spray mixture.

Manufactured Exclusively By
CHEMEX INDUSTRIES, INC.
TAMPA FLORIDA

Chemex 542

XD-542

non-selective

WEED KILLER

FOR USE WHERE PLANT GROWTH IS NOT DESIRED

ACTIVE INGREDIENTS: Sodium Arsenite* 25%
INERT INGREDIENTS: 75%

*Total Arsenic expressed as metallic, all in water-soluble form 14.4%
Contains 5.0 lbs. of Sodium Arsenite per gallon



POISON



DANGER! KEEP OUT OF REACH OF CHILDREN. Poisonous if swallowed. Wash thoroughly after using. Keep children and animals off treated areas until washed into soil.

See antidote statement and other warning statements on right panel.
DO NOT USE OR STORE IN OR AROUND THE HOME

DIRECTIONS

PLANT GROWTH PREVENTION: Apply 3 to 4 quarts, mixed with 5 or more gallons of water, per 100 square feet. Use higher rate for heavy soils or where ground is not bare of vegetation. Treated soil should not be cultivated or disturbed after treatment. Treatment usually retards plant growth for an extended period, depending upon rate of leaching from soil root zone.

SUGGESTED PROCEDURE FOR SAFE DISPOSAL OF EMPTY CONTAINER: Rinse container several times with water. Perforate or break and bury in non-croplands. Never RE-USE.

WARNING: Do not get in eyes, on skin or clothing. Do not breathe spray mist; wear respirator. In case of contact, wash thoroughly. Do not use or store in or around the home.

ANTIDOTE: If swallowed, give a tablespoon of salt in a glass of warm water and repeat until vomit fluid is clear. Then give 2 tablespoonfuls of Epsom Salt or Milk of Magnesia in water, and plenty of milk or water. Have patient lie down and keep quiet. Call physician immediately.

Keep away from feed and food products and out of reach of children and domestic animals. Keep livestock and domestic animals off treated areas. Do not allow domestic animals to graze treated area. Do not use treated vegetation as food or bedding for livestock. Do not allow spray drift to contact desirable plants. Do not apply to areas underlaid by roots of desirable plants.

This product is toxic to fish and wildlife. Keep out of any body of water. Birds feeding on treated areas may be killed. Apply this product only as specified on this label.

USDA Reg. No. 4450-6

ACCEPTED
4/25/68
FIND...
FOR...
ED...
TO ATTACHED COMM...