Poor Copy

4450-26]

27

INSECTICIDE

A NEW SYNTHETIC PYRETHROID FOR CONTROLLING HOUSEHOLD FLYING INSECTS.

ACTIVE INGREDIENTS:

t U. S. Patent No. 3,465,007

*, (5-Benzyl-3-furyl)methyl 2,2-dimethyl-3-(2-methylpropenyl)cyclopropane carboxylate... 3.000% W/W Related compounds 0.409% Aromatic petroleum hydrocarbons 91.471%

100.000% *Cisi trans isomers ratio; max. 30% (±)cis and min. 70% (±)trans.

CAUTION: KEEP OUT OF REACH OF CHILDREN.

Hamful if swallowed. Do not get in eyes. "void breathing mist. Remove fish, birds and other pets from area to be sprayed. Extrnguish open flame before space spraying. This formulation is combustible. DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

CONTAINER DISPOSAL - Do not rouse container. Crush "sed container and discard in a safe place or bury in non-croptand soil away from water.

Foods about he removed or covered during treatment. All food processing surfaces should be covered during treatment or thermuch to cleaned before using. When using the product in these awas, apply only when the facility is not in operation.

DIRECTIONS FOR USE

For use in homes, warehouses, food processing plants, business offices and industrial plants.

Contact Spray - For control of roaches. Mix 11 1/4 fluid ounces of 3.0% emulsifiable concentrate in a gallon of water to make a 0.25% emulsion. Mix well before using. Spray thoroughly into hiding places such as cracks, crevices, and moist areas around pipes, under refrigerators and along baseboard. Soray directly on insects when pussible. Repeat as necessary.

Space Spray - For control of flies, resolitues and ghats. Remove or cover exposed food and food handling sunfaces including utensils. Remove animals. Shut off ventilating systems, air ducts and air conditioning equipment. Mix 4-1/2 fluid ounces of the 3.0% emulsifiable concentrate in a gallon of water to make a 0.10% emulsion. Mix well before using. Apply as a fine spray at the rate of 2 fluid ozs. per 1,000 cu. ft. or 1 gallon per 64,000 cu. ft. Direct nozzle to upper corner of the room and along ceiling. Avoid inhaling the spray mist. Close off room for at least one half hour after spraying. Repeat as necessary. Do not remain in treated areas. Ventilate the area after treatment is completed.

EPA Reg. No. 4450-26

CAUTION: Do not take internally. Close container after each use. KEEP OUT OF THE REACH OF GHILDREN PROTECT FROM FREEZI!!!...

The manufacturer's extent of fiability in connection with the sails of this product is limited to the purchase price



NET CONTENTS

GALLON

