[4450-27]

Cameraman's Note Poor Copy

INSECTICIDE SPRAY

0.125% w/w ACTIVE INGREDIENTS: *†(5-Benzyl-3-furyl)methyl 2,2-dimethyl-3-0.017% (2-methylpropenyl)cyclopropanecarboxylate 0.166% Related compounds Aromatic petroleum hydrocarbons 99.687% Petroleum distillate 0.005% INERT INGREDIENTS: 100.000%

*Cis/trans isomers ratio: max. 30% (\pm)cis and min. 70% (\pm)trans. **tu.s.** Patent No. 3,465,007

CAUTION: KEEP OUT OF REACH OF CHILDREN.

Hamful if swallowed. Do not get in eyes. Avoid breathing inist. Remove fish, birds and other pets from area to be sprayed. Extinguish open flame before space spraying. This formulation is combustible. DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

CONTAINER DISPOSAL - Do not reuse container. Crush used container and discard in a safe place or bury in non-cropland soil away from water.

Foods should be removed or covered during treatment. All food processing surfaces should be covered during freatment or thorlict in these areas, oughly cleaned before using. When using the apply only when the facility is not in operation

FGR: Bakeries, Food Plants, Restaurants, Schools, Hotels, Motels, Office Buildings, Hospitals and Food Handling Plants.

DIRECTIONS FOR USE

FOR FLIES, MOSQUITOES, AND GNATS: Close doors and windows. Spray freely toward ceiling in all directions until room is filled with mist, then leave the room. Keep doors closed for at least 15 minutes. Do not remain in treated areas. Ventilate the room when treatment is completed.

WASPS: Application should be made in the late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

EPA Reg. No. 4450 - 27

CAUTION: Do not take internally. Close container ofter each use KEEP OUT OF THE REACH OF CHILDREN PROTECT FROM PREEZING.

the purchase price



CHEMEX INDUSTRIES, INC. 2022 35th Street . Turipa, Florida 33103

NET CONTENTS

GALLON



FOR: Bakeries, Food Plants, Restaurants, Schools, Hotels, Motels, Office Buildings, Hospitals and Food Handling Plants.

DIRECTIONS FOR USE

FOR FLIES, MOSQUITOES, AND GNATS: Close doors and windows. Spray freely toward ceiling in all directions until room is filled with mist, then leave the room. Keep doors closed for at least 15 minutes. Do not remain in treated areas. Ventilate the room when treatment is completed.

<u>WASPS</u>: Application should be made in the late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

EPA Reg. No. 4450-27

CAUTION: Do not take internally. Close container after each use.

KEEP OUT OF THE REACH OF CHILDREN

PROTECT FROM FREEZING.

The manufacturer's extent of liability in connection with the sale of this product is limited to the purchase price.



NET CONTENTS

GALLON

