nemex

Flying & Crawling Insecticide

"DANGER: Extremely flammable, contents under pressure. Do no use near fire, heated surfaces, sparks, or flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting."

ACTIVE INGREDIENTS:

*A(5-Benzyl-3-furyl)methyl 2, 2-dimethyl-3(2-methylpropenyl)cyclopropanecarboxylate 0.350% w/w
Related compounds 0.048%
Aromatic petroleum hydrocarbons 0.464%
INERT INGREDIENTS: 99.138% w/w 100.000%

 Cis/trans isomers ratio: max. 30% (±) cis and min. 70% (±) trans. **△U.S. Patent No. 3,465,007.**

SHAKE WELL BEFORE USING CAUTION:

KEEP OUT OF REACH OF CHILDREN.
Harmful if swallowed. Avoid contamination of feed and foodstuffs. Remove pets, birds, and cover fish aquariums before spraying. Do not use on edible crops. Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

KILLS: Houseflies, mosquitoes, gnats, wasps, roaches, earwigs, grain mites, sowbugs, spiders, centipedes, ants, biting flies.
FOR USE IN HOMES, MOTELS,
INSTITUTIONS AND NON-FOOD AREAS OF RESTAURANTS AND FOOD PROCESSING PLANTS.

Manufactured By Chemex Chemicals & Coatings Co., Inc. P.O. Box 5072

Tampa, Florida 33675 E.P.A. Reg. No. 4450-32 E.P.A. Est. No. 4450-Fl-1

BEST DOCUMENT AVAILABLE NET WT. 20 OZS. DOUBLE ACTION INSECT KILLER - This is a dual purpose formulation that can be used as a contact spray against flying and crawling insects and as a residual insecticide providing up to 3 to 4 weeks of control of roaches.

DIRECTIONS FOR USE. Shake well before each use. Remove protective cap. Aim spray opening away from person. Push button to

HOUSEFLIES, MOSQUITOES AND GNATS:

Indoors: Close all doors and windows. Point nozzle upward, direct the spray mist to all parts of the room especially windows and other light sources which attract these insects. Fill the room with inist, about 4-6 seconds per 1000 cubic feet, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed. Sweep up and

room when treatment is completed. Sweep up and destroy fallen insects.

Outdoors: Reduce mosquitoes, gnats (midges), houseflies, biting flies and flying moths (millers) by spraying their resting areas. Follow precautions listed above. Hold container 18 to 24 inches from shrubs, bushes and grassy areas. Spray these areas with a slow sweeping motion while moving away from treated areas. To reduce annoyance from these flying insects, treat open porches and patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.

ROACHES, EARWIGS, GRAIN MITES, SOWBUGS, SPIDERS AND CENTIFEDES:

Contact Spray: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insects where possible. Repeat as necessary.

as necessary.

ROACHES, EARWIGS, GRAIN MITES, SOWBUGS, SPIDERS AND CENTIFEDES:

Residual Spray: Spray baseboards, cracks and crevices, around door and window frames, and other hiding places, such as closets, in back of and under appliances, sinks and cupboards in the kitchen and bathroom. In basements, sarvay hiding places in cracks and comices sinks and cupboards in the kitchen and bathroom. In basements, spray hiding places in cracks and crevices, lower walls, and dark places. Spray at the rate of 3 to 4 seconds per linear foot at a distance of 12 to 14 inches from the surface. Repeat as hecessary. WASPS: Applications should be made in the late evening when the insects are as resisting places, contacting as many insects as nonestary.

as possible. Repeat as necessary.

ANTS: Apply to ant trails and around door sills, window frames and other places where ants may enter.

Apply this product only as specified on this label.