

chemex

WASP & HORNET INSECTICIDE SPRAY

KILLS: Hornets, Wasps, Yellow Jackets.

ACTIVE INGREDIENTS:

*+(5-Benzyl-3-furyl)methyl 2,2-dimethyl-3-(2-methylpropenyl)cyclopropanecarboxylate	0.250% w/w
Related compounds	0.034%
Aromatic petroleum hydrocarbons	0.331%
Petroleum distillate	26.375%
INERT INGREDIENTS:	73.010%
	100.000% w/w

*Cis/trans isomer ratio: max. 30% (±) cis and min. 70% (±) trans.
+U. S. Patent No. 3,465,007.

WARNING:

KEEP OUT OF REACH OF CHILDREN

Avoid contamination of food and feedstuff. Do not wet foliage.

Do not spray on edible plants.

Harmful if swallowed.

Apply this product only as specified on this label.

WARNING: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

E.P.A. REG. NO. 4450-34 E.P.A. EST. 4450-FI-1

BEST DOCUMENT AVAILABLE

DIRECTIONS FOR USE

For outdoor use. Can also be used in attics, warehouses and other storage areas where foods and feedstuffs are not exposed.

FOR OUTDOOR USE: Application should be made in late evening when hornets, wasps, and yellow jackets are at rest. Hold can upright. Remove cap. Point valve opening away from face. With wind at back, aim at nests in trees, bushes, under leaves, chimneys, cracks or crevices.

FOR INDOOR USE: Point valve opening away from face. Aim directly at nests of hornets, wasps and yellow jackets under rafters, etc. Do not spray in areas where foods and feedstuffs are exposed or handled.

Thoroughly saturate nest with spray, contacting as many insects as possible. To prevent insects from falling on skin and clothes, do not stand directly under nest. Best results can be obtained if nest is sprayed in late evening when most insects are at rest. If reinfestation occurs, repeat treatment.

Manufactured By
Chemex Chemicals &
Coatings Co., Inc.
P.O. Box 5022
Tampa, Florida 33675

E.P.A. Reg. No. 4450-32 E.P.A. Est. No. 4450-FI-1

NET WT. 20 OZS.

4460-34