

[4462-14]

FOR CONTROL, EXPOSED STAGES ONLY, OF INSECT PESTS OF STORED GRAIN AND FOOD PRODUCTS

This product is a finished insecticide in ready to use form for control of certain insect pests of stored grain, stored food and food products. It may be used as a surface treatment or as a contact spray in standard or special equipment.

This product contains piperonyl butoxide. It kills on contact the exposed or accessible stages of the granary weevil, rice weevil, confused flour beetle, saw-toothed grain beetle, spider beetles, angoumois grain moth, Mediterranean flour moth, meal worms, cigarette beetle, drug store beetle, cheese skipper, cheese mites, and grain mites.

This product is useful in mills, elevators, granaries, warehouses, food storages, and other situations where a fast acting insecticide is required. As a space or vapor spray, it gives rapid kills of flying and crawling stages.

CAUTION: Harmful if swallowed. Avoid contamination of feed and food stuffs.

The use of this product in food processing plants should be confined to time periods when the plant is not in operation. Foods should be removed or covered before treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using.

Remove pets, birds, and cover fish aquaria before spraying. This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as directed on the label.

Do not reuse empty container. Destroy by perforating or crushing and burying in a safe place.



Mill Spray

ACTIVE INGREDIENTS:

*Piperonyl Butoxide, Technical	1.31%
Pyrethrins	0.13%
Petroleum Hydrocarbons	98.56%

*Equivalent to 1.05% of (butylcarbityl) (4-propylpiperonyl) ether and to 0.26% of related compounds.

CAUTION KEEP OUT OF REACH OF CHILDREN
(See Side Panel for Additional Cautions)

100%
JAN
UNDER THE FEDERAL
"NCL" ACT
ECONOMIC
ED UNDER NO
TO ATTACHED COMM.

DIRECTIONS

SURFACE TREATMENT: To control exposed stages of crawling insects named, apply in a good machine adjusted to deliver a coarse droplet spray using approximately 1 gallon of material to each 750 square feet of surface. Repeat applications as needed. Thoroughly treat walls, floors, shelves, and other exposed surfaces, and spray each layer of cartons or containers lightly as stacked.

To control Indian meal moth and Angoumois grain moth infestation in stored grains, apply over the surface of the binned grain at a rate of 2 gallons per 1000 square feet. In case of serious infestation, break up webbing with care before spraying and make a second application in two weeks. Apply at monthly intervals if reinfestation occurs.

As an application against mosquitoes, gnats, wasps, hornets, and skippers, treat walls, ceilings, moldings, door frames, and window frames, beams, light cords, and similar out-of-the-way places.

SPACE SPRAY: For rapid control of flies, mosquitoes, gnats, flying moths, wasps, and hornets, use this spray in a good machine adjusted to deliver a fine mist. Whenever possible, keep doors and windows closed for 10 to 15 minutes after application. Direct spray toward the upper portion of the enclosure, filling the room with mist and using 2 to 4 gallons of spray per 1000 cubic feet of space. For mosquitoes, gnats, and skippers, before spraying, keep the room dark when necessary.

EPA Reg. No. 4-52-14

Manufactured By
BEAVER CHEMICAL CO., INC.
STOCKTON, CALIFORNIA 95211

4462-14



Mill Spray

FIVE INGREDIENTS		100
Eperonyl Butoxide Technical	1.31%	
Pyrethrins	0.13%	
Petroleum Hydrocarbons	98.56%	

Equivalent to 1.05% of butylcarbitol isopropylpiperonyl ether and to 0.26% of related compounds.

CAUTION KEEP OUT OF REACH OF CHILDREN
(See Side Panel for Additional Caution.)