

[4462-54](1 of 2)

DIRECTIONS

ON CATTLE To protect cattle from **horn flies, house flies, mosquitoes, and gnats**, apply a light mist sufficient to wet the tips of the hair. To control **stable flies, horse flies, deer flies**, apply 2 ounces per cow sufficient to wet the hair but not to soak the hide. Repeat treatment once or twice daily, or at intervals necessary to give continued protection.

To control **blood sucking lice**, apply the spray lightly to infested areas, using a stiff brush to get the spray to the base of the hair. Use 2 ounces per cow. Repeat every two or three weeks as required.

BARNS, MILK ROOMS, DAIRY PLANTS To control **flies, mosquitoes, and gnats**, apply a light fog or fine mist breeding spray toward the ceiling and upper corners until the area is filled with mist. Apply at 2 ounces per 1000 cubic feet of space. For best results, close windows and doors before spraying and keep doors shut for ten to fifteen minutes. Ventilate the area and open doors before re-occupying. Repeat as often as necessary.

EPA Reg. No. 4462-54

CAUTION: Harmful if Swallowed.

BEAVER

ALWAYS QUALITY VALUE
PROVEN BEST BUY

CAUTION: KEEP OUT OF REACH OF CHILDREN
See side panel for additional precautions.

CAUTION: DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.



K-R CONCENTRATED DAIRY SPRAY

KILLS AND REPELS: HORN FLIES, STABLE FLIES, HORSE FLIES, HOUSE FLIES, MOSQUITOES, GNATS

ACTIVE INGREDIENTS: 100%

Pyrethrins	0.10%
*Piperonyl Butoxide, Tech.	1.00%
Petroleum Distillate	98.90%
*Equivalent to 0.8% (butylcarbityl) (6-propylpiperonyl) ether and to 0.2% or related compounds	

CAUTION KEEP OUT OF REACH OF CHILDREN

See side panel for additional precautions.

CAUTION DO NOT USE, POUR, SPILL OR BURN NEAR HEAT OR OPEN FLAME

[446-14]
(2 of 2)

CAUTION: Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation.

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of spray equipment or disposal of wastes.

Do not reuse empty container. Destroy by perforating or crushing and burying in a safe place.

CAUTION: Harmful If Swallowed

NET CONTENTS: ONE GALLON

Manufactured By
BEAVER CHEMICAL CO., INC.
STOCKTON, CALIFORNIA 95201