

DOG MANGE TREATMENT

**AN EFFECTIVE TREATMENT
FOR
SARCOPTIC MANGE
AND
DEMODECTIC (RED) MANGE
CONVENIENT - STAINLESS
GREASELESS
LOW ODOR TREATMENT**

ACTIVE INGREDIENTS:	
Benzyl Benzoate.....	21.6%
INERT INGREDIENTS:	
.....	78.4%
Total.....	100.0%

**KEEP OUT OF REACH OF CHILDREN
WARNING**

FLAMMABLE. Contents Under Pressure. See back panel for additional Warnings.

NET WEIGHT 9 OUNCES

MORTON PHARMACEUTICALS, INC.
MEMPHIS TENN. 38102

DIRECTIONS

It is a violation of Federal law to use this product in a manner inconsistent with labeling.

SHAKE WELL BEFORE USING

Clip the hair around affected areas - if necessary clip the entire body. Then wash the animal thoroughly with soap and water. Rinse well.

SARCOPTIC MANGE - While the skin is moist from rinsing, spray all affected areas. Allow this application to dry, then apply a second time. On the following day bathe the animal. One treatment is usually sufficient. In stubborn cases repeat in 7 days.

DEMOLASTIC MANGE (Red Ring) - Apply daily for 7 days, spraying on and around the lesion. For first lesions mange affected areas gently after application. Rub the Demolastic cream lightly each day for 30 days and treat promptly if new lesions develop. Thereafter treat as often as necessary. Since the mange is difficult to diagnose and may require prolonged treatment, if no improvement is noted in 10 days.

Dogs under treatment should be fed an adequate diet containing minerals and vitamins, and treatment should be conducted with caution since Red Mange is often difficult to control. Treatments of bedding and sleeping quarters when treatment is after using. May produce irritation. Repeated exposure.

DISPOSAL

Do not reuse empty container. Write, date, and put in trash collection.

PRECAUTIONARY STATE:

HAZARDS TO HUMANS AND DOMEST.

WARNING - Not for human use, avoid getting into eyes, ears, eyes or scrotum of animal. Affected areas near eyes, ears. Do not use on young puppies or bitches with such as more than one-third of the animal's body at one time. Use cautions. Avoid breathing vapors, use in well ventilated area. ALL AEROSOLS OUT OF THE REACH OF CHILDREN

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Contents under pressure. Ke... away from heat, sparks, and open flame. Do not use while smoking. Do not...ature or moderate container. Exposure to temperatures above 130°F may cause...isting.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED - Give victim one or two glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit fluid is clear. Call a physician immediately. Never give anything by mouth or induce vomiting in an unconscious person.

IF INHALED - Remove victim to fresh air. Apply respiration if indicated.

IF ON SKIN - Wash with soap and warm water.
IF IN EYES - Flush eyes for at least 15 minutes with water. Call a physician immediately.

Made in U.S.A.

A Est. 4476-TN-1