

Shake well before using.  
Remove the protective cap.  
Always hold the dispenser can upright when spraying.  
Please wash hands after use.

For larger dogs and cats spray the animal from a distance of 8 to 12 inches. Start spraying at the tail, moving the dispenser rapidly and making sure the animal's entire body is covered, including the legs and underparts of the neck and body. As you spray, fluff the fur so the spray will penetrate to the skin. Spray ticks thoroughly as they are difficult to kill. Repeat treatment as needed.

**FLEA  
KILLER**

for

**DOGS & CATS**

**ALSO**

## **ALSO**

KILLS TICKS  
AND LICE

## Effective width and direct

11

Store at room temperature (not over 130°F.), but protect from freezing. Do not puncture or incinerate can. If used in tanks remove fish bowls and aquaria from exposed area for at least one hour. Avoid breathing spray mist. Avoid contact with food.

## ACTIVE INGREDIENTS

Pyrethrins - 0.10%  
Technical Pyreconyl Butoxide\* - 0.20%  
N-octyl bicycloheptene dicar-

hexanide ..... 9.33%

Petroleum Distillate - - - - - 0.48%

**INERT INGREDIENTS** . . . . . 98.89%

**Fatal**      **Non-fatal**      **Total**

Total revenue from the sale of 100,000 units

- \* Consists of .1% (butylcarbitol) (6-Propyl)phenoxane ether and .01% of related butylcarbitols

Do not swallow. Avoid prolonged or repeated contact with skin and wash thoroughly after using. Do not spray onto the eyes and face or on the scrotum of dogs or cats.

WILHELM VON KLEIST  
KOMMUNALPOLITIKER  
1810-1880


WARNING

Contents under pressure KEEP OUT  
OF REACH OF CHILDREN See back  
panel for additional warnings

卷之三

**MENTAL TESTS FOR  
THE EVALUATION OF THE  
MENTAL STATE**

NET WT. 13 OZ.



Net Weight 13 Ounces

13 OZ. (384 ml.)

Shake well before using. Remove the protective cap. Always hold the dispenser 14" away from when spraying. Point nozzle directly at the animal and press button.

For the on-going control, spray the animal from a distance of 8 to 11 inches. Start spraying at the tail, moving the dispenser rapidly and making sure the animal's entire body is covered, including the legs and underparts of the neck and body. As you spray, tuff the fur so the spray will penetrate to the skin. Spray ticks thoroughly as they are difficult to kill. Repeat treatment as needed.

ACTIVE INGREDIENTS

Pyrethrins	0.14%
Technical Piperonyl Butoxide *	0.20%
N-octyl bicycloheptene dicarboximide	0.33%
Petroleum Distillate	0.48%
INERT INGREDIENTS	95.81%
Total	100.00%

\* Consists of 16% (Butyl naphthalene) p-  
p-terephthalate ether and 84% of related com-  
pounds

CAUTION

Store at room temperature (not over 120° F).  
Do not protect from freezing. Do not dilute or  
incinerate can. If used indoors remove fish tanks  
and aquaria from sprayed area for at least one  
hour. Avoid breathing spray mist. Avoid contact  
with food.

U.S.A. REG. No. 41

MANUFACTURED FOR  
HART-DELTA, INC.

P. O. BOX 360 ZACHARY LOUISIANA 70791 U.S.A.

FOR VETERINARY USE ONLY

Made in USA  
Printed in USA

(By U.S. Patent)

ACCEPTED  
17 4476-52