### GERMICIDAL:

A.O.A.C. Use-dilution tests at 1 to 128 confirm that this is a broad spectrum disinfectant against both gram negative (S. choleraesuis) and gram positive bacterial (Staphylococcus Aureus).

### \*VIRUCIDAL:

This product is effective at 0.5% concentrations against the lipophylic viruses Influenza A2, Herpes Simplex and Vaccinia. At 1%, it is effective against Adenovirus type 2. It cannot be expected to be effective against hydrophylic viruses.

CAUTION: CONTAINS CHLORINA-TED PHENOL. Will cause irritation to skin and eyes. Harmful if swallowed. Avoid contact. Use rubber gloves. Always dilute before using. In case of contact wash skin with an abundance of water. For eyes, flush with water for at least 15 minutes. Get medical attention. Do not contaminate or store near feed or foodstuffs.



## SURGISEPT VIRUCIDE\* - GERMICIDE CONCENTRATE

ACTIVE INGREDIENTS ----- 36.3%
Isopropyl Alcohol
o-benzyl p-Chlorophenol
Sodium Dodecylbenzenesulfonate
Methyl Salicylate
INERT INGREDIENTS ----- 63.7%
Water

USDA Reg. No. 4476-54

NET CONTENTS
1 FLUID OUNCE OF ABOVE CONCENTRATE.

Add one gallon of water (128 ounces) to make a dilution of 1 to 128.

CAUTION: KEEP OUT OF REACH OF CHILDREN. Will cause irritation to skin and eyes. Harmful if swallowed. See cautionary information on left panel.

FOR INSTITUTIONAL AND INDUSTRIAL USE ONLY

MORTON PHARMACEUTICALS, INC. ETHICAL DISTRIBUTORS MEMPHIS, TENN.



# SURGISEPT VIRUCIDE\* - GERMICIDE CONCENTRATE

ACTIVE INGREDIENTS ----- 36.3% Isopropyl Alcohol o-benzyl p-Chlorophenol Sodium Dodecylbenzenesulfonate Methyl Salicylate INERT INGREDIENTS ----- 63.7% Water

USDA Reg. No. 4476-54

NET CONTENTS
1 FLUID OUNCE OF ABOVE CONCENTRATE.

Add one gallon of water (128 ounces) to make a dilution of 1 to 128.

CAUTION: KEEP OUT OF REACH OF CHILDREN. Will cause irritation to skin and eyes. Harmful if swallowed. See cautionary information on left panel.

FOR INSTITUTIONAL AND INDUSTRIAL USE ONLY

MORTON PHARMACEUTICALS, INC. ETHICAL DISTRIBUTORS MEMPHIS, TENN.

#### **USE DIRECTIONS:**

After mixing according to instructions on front panel, use without subsequent dilution. The surfaces to be disinfected are cleaned in the normal manner, followed by a final clean water rinse containing this product. To achieve optimum effect, do not add to nor mix with any other product. This rinse may be applied by dipping, sponging or mopping.

Recommended wherever disinfecting, deodorizing and sanitizing is required. Use on floors, walls, and fixtures in waiting rooms, treatment rooms, restrooms, sickrooms, kitchens, etc., of clinics, hospitals, institutions, industrial plants, schools, hotels, motels, churches, etc. Particularly toilet seats, bowls, urinals, bed pans, garbage and waste containers. (Rev. 11-67)

at 1 road both and

ıylo-

0.5% phyrpes it is be 2.

ctive

NAcitacul if
rubfore
skin

For east tion.