

PET'S PAL

PET SPRAY

KILLS

FLEAS • TICKS • LICE • GNATS

REPELS

FLIES • GNATS • MOSQUITOES

MASKS PET ODORS

CAUTION:

KEEP OUT OF REACH OF CHILDREN.
Flammable. Contents Under Pressure.
See back panel for additional Warnings.

NET WEIGHT 10 OUNCES

When used according to directions, this spray will kill ticks, lice, fleas and gnats on contact and repel flies, mosquitoes and gnats.

DIRECTIONS: Apply spray to animals from a distance of 10 to 12 inches. Start spraying at the tail, moving the spray rapidly and making sure the entire animal's body is covered, including the legs and under portions of the body. As you spray, fluff the coat so the spray will penetrate to the skin. Spray only until hair is slightly damp. Do not spray eyes, face or scrotum. For best results, spray ticks directly. Spray animal's bed and living quarters regularly. Repeat treatment weekly but at no shorter intervals. Spray on the base of a 20 to 30 second application to a 25 lb. dog and 10 seconds for cats.

ACTIVE INGREDIENTS:

Pyrethrins	0.06%
Technical Piperonyl Butoxide*	0.48%
Carbaryl (1-naphthyl N-methylcarbamate)**	0.50%
2,3,4,5-bis(2-butylene)tetrahydro-2-furaldehyde	0.24%
Petroleum Distillate	12.60%

INERT INGREDIENTS:	86.12%
TOTAL INGREDIENTS:	100.00%

* Equivalent to 0.384% (butylcarbityl)(6-propylpiperonyl) ether and 0.086% of related compounds.

**SEVIN Insecticide U. S. Pat. No. 2,903,478. Trade-Mark Union Carbide Corporation.

CAUTION: Flammable! Contents under pressure. Do not use near fire, sparks, or flame. Do not puncture or incinerate container. Store container in a cool place. Exposure to temperatures above 130° F may cause bursting. **KEEP OUT OF REACH OF CHILDREN.** Use in a well ventilated area. Do not spray around feed or foodstuff. Avoid inhalation of the vapors. Harmful if swallowed or inhaled. Do not spray in or toward face or eyes. Avoid contact with skin. Wash hands and face with hands or person wash the area with warm soapy water after handling.

WARNING: Do not use on birds or around fish bowls. Do not spray in or toward face or around scrotum of animals. Do not direct spray to infants but move continuously while spraying. Do not treat puppies or kittens under 4 weeks of age.

Under the Federal Insecticide, Fungicide, and Rodenticide Act, for the pesticide class 4476-67

DISPOSAL:

Do not reuse empty container. Wrap container and put in trash collection.

EPA Reg. No. 4476-67-AA

EPA Est. 4476-TN-1

MORTON PHARMACEUTICALS, INC.
Memphis, Tennessee 38102

BEST AVAILABLE COPY

7/11/78
4476-67