

[4476-73]

# PET SPRAY

## DIRECTIONS FOR USE

### ACTIVE INGREDIENTS:

\*+(5-Benzyl-3-furyl)methyl 2,2-dimethyl-3-(2-methylpropenyl)cyclopropanecarboxylate -- 0.200% w/w  
 Related compounds ----- 0.028%  
 d-trans Allethrin (allyl homolog of Cinerin I) ----- 0.150%  
 Related compounds ----- 0.012%  
 Aromatic petroleum hydrocarbons ----- 0.272%

INERT INGREDIENTS: ----- 99.338%  
 100.000% w/w

\*Cis/trans isomers ratio: max. 30% (+) cis and min. 70% (+) trans.

+U.S. Patent No. 3,465,007.

**SHAKE WELL BEFORE USING**

## WARNING:

**KEEP OUT OF REACH OF CHILDREN.**

Harmful if swallowed. Avoid contamination of feed and foodstuffs. Remove birds and cover aquariums before spraying. Do not use on edible crops.

WARNING: Contents under pressure. Do not puncture. Do not expose container to temperatures above 120°F. Never throw container into fire or incinerator.

**NET WEIGHT 14 OUNCES**

**MORTON PHARMACEUTICALS, INC.**  
 Memphis, Tenn. 38108

Shake well before each use. Remove protective cap. Aim spray opening away from person. Push button to spray.

### ANIMAL PESTS:

DOGS, CATS - Fleas - Apply directly to animals along back, under forelegs and on other areas. Part hair to contact skin and insure good coverage. Hold nozzle about one foot away while spraying. Apply until hair is thoroughly moist. Do not directly spray in eyes, ears, or mouth of animal. To reduce reinfestation, thoroughly spray the animal's bedding and other resting areas. Treat these areas at the rate of two seconds per linear foot while spraying at a distance of 12 to 18 inches. Also spray entire inside surface of dog houses. Repeat as necessary.

CAUTION: Apply this product only as specified on this label. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes.

EPA Reg. No. 4476-73  
 EPA Est. 4476-TN-1

