Reg # 4482-10 PM-31

1 of 1

1·10·90

USE DIRECTIONS FOR GENERAL CLEANING:

1. Spray directly on surface.
2. Wipe off with cloth or sponge.

FOR DISINFECTING:

1. Remove gross dirt from surface.
2. Spray directly, thoroughly wetting surface.
3. Wipe off with cloth or sponge.
4. Rinse with potable (drinking) water all surfaces that come in contact with food.

CAUTION:
DO NOT SPRAY ON FOOD

LABORATORY TESTED AND GUARANTEED

NET CONTENTS:

(U) PAREVE

EP-853 REV 12/89

FOR INDUSTRIAL AND INSTITUTIONAL USE
GERMICIDAL

Q-LAB

SPRAY CLEANER
REMOVES
GREASE, GRIME & STUBBORN SOIL
NONFLAMMABLE
DISINFECTS - DEODORIZES

ACTIVE INGREDIENTS:

n-Alkyl (50% C14, 40% C12, 10% C16) dimethyl benzyl ammonium chlorides	0.25%
Sodium Metasilicate	0.28%
Sodium carbonate	2.0%
Isopropyl alcohol	2.0%
Inert Ingredients*	95.47%
*Includes cleaning agents	100.00%

DANGER - KEEP OUT OF REACH OF CHILDREN

See First Aid Statement and additional precautions or side panes.
Container Disposal: When empty, rinse container thoroughly with water and destroy it by crushing or burying in a safe place.

EPA REG. NO 4482-10 EPA EST. NO. 4482-NJ-1

MANUFACTURED BY:
epic industries
DIVISION OF METROVAL, INC.
METUCHEN, NJ 08840

FOR USE IN HOSPITALS, INDUSTRIAL PLANTS, SCHOOLS, HOTELS, MOTELS, NURSING HOMES AND RESTAURANTS

Will remove grease, oil, soot and most kinds of ordinary dirt from surface

Effective on all washable surfaces such as metal, wood that has been sealed, plastic, concrete, glass, vinyl, tile, terrazzo, porcelain, stainless steel, linoleum and painted surfaces.

DANGER: KEEP OUT OF REACH OF CHILDREN. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

STORAGE AND DISPOSAL:

Store in tightly closed original container in a secure area inaccessible to children.

Do not reuse empty container. Wrap container and put in trash.

Not Reviewed. Registrant claims to be in accordance with Registration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Administrative Change in Status.