

# COLLOIDOX®

## The New Copper Oxychloride Fungicide

ACTIVE INGREDIENT: Copper Oxychloride . . . . . 35%  
INERT INGREDIENTS: . . . . . 65%

### CAUTION:

### Keep Out Of Reach Of Children

CAUTION: Harmful if swallowed. Induce vomiting immediately. Wash hands before meals and after work. Harmful to livestock. Keep all livestock out of treated areas for at least 3 weeks. Toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning or disposal of waste. Store in original container, tightly closed, in a safe place. Wash out containers thoroughly and dispose of safely.

PROTECT FROM FROST AND EXCESSIVE HEAT

NET CONTENTS: 8 1-Quart Bottles      USDA Reg. No. 4518-6

COLLOIDOX is registered trademark of Mechema, Ltd., London

### DIRECTIONS FOR USE:

APPLICATION: COLLOIDOX is a very fine suspension of Copper Oxychloride in water. Shake the container thoroughly and pour the required quantity of COLLOIDOX into the water in the spray tank. Agitation is preferable but not essential. No pre-mixing is required but shaking in the container is essential if there is minimum agitation in the spray tank.

The quantity of water used to apply COLLOIDOX should be kept to the absolute minimum necessary to provide efficient coverage. Spray run-off should be avoided and the usually recommended rates of application are 5 to 20 gallons per acre according to the type of spray equipment being used. COLLOIDOX is particularly suitable for low volume application.

N.B.: 2.5 Pints COLLOIDOX = ca. 3½ pounds.

### DISEASES AND DOSAGES:

PEANUTS: Leaf Spot (*Cercospora arachidicola* and *C. personata*) - 2.5 Pints COLLOIDOX in 5-20 gallons of water per acre. Apply as soon as first leaf spots are observed. Repeat at 10-14 day intervals as required.

WATERMELONS: Downy Mildew (*Pseudoperonospora cubensis*), Gummy Stem Blight (*Mycosphaerella citrullina*) - 2.5 Pints COLLOIDOX in 100 gallons of water per acre in Florida only. Apply before diseases appear. Repeat at 6-10 day intervals as needed.

Further information upon application to the distributors:

DISTRIBUTED BY

## BERKSHIRE CHEMICALS, INC.

135 East 44th Street  
New York, New York 10017

