

CAUTION: KEEP OUT OF REACH OF CHILDREN

HARMFUL IF SWALLOWED

Avoid contact with skin and eyes. In case of contact, flush with plenty of water. If irritation persists, get medical attention. Avoid contamination of food.



Consult your local Health Authorities or Fieldman for special instructions in the use of this product

ACCEPTED
AUG 30 1971
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR FUMIGATION, POISON, REGISTERED
UNDER NO. 4524-8. SUBJECT
TO ATTACHED COMMENTS.

MONOKLOR POWDER

COMPLETELY SOLUBLE CHLORINE

monoklor powder dissolves rapidly in water to form clear sanitizing solutions.

DIRECTIONS

FOR SANITIZING MILK EQUIPMENT

All surfaces to be sanitized should be properly cleaned before application of the Monoklor Sanitizing Solution. Use Sep-Ko for hand washing and Super Ream for mechanical cleaning.

TO SANITIZE NON-POROUS SURFACES: Such as Stainless Steel or Glass use 100 ppm Available Chlorine. Sanitizing solution should remain in contact with all surfaces for at least 2 minutes where the temperature is 75° F. or

ACTIVE INGREDIENTS:

Sodium dichloro-S-triazene trione	14.5%
Monosodium Salt Dichloroisocyanuric Acid	

INERT INGREDIENTS	85.5%
-------------------	-------

100.0%

Available Chlorine not less than 8.0%

U.S.D.A. Registration No. 4524-8.

DIRECTIONS

CAUTION: KEEP OUT OF REACH OF CHILDREN HARMFUL IF SWALLOWED



Avoid contact with skin and eyes. In case of contact, flush with plenty of water. If irritation persists, get medical attention. Avoid contamination of food.

Consult your local Health Authorities or Fieldman for special instructions in the use of this product.

ACCEPTED

AUG 30 1971

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REG. NO. 121.2547
ET UNDER NO. 121.2547 SUBJECT
TO ATTACHMENT COMMENTS.

MONOKLOR POWDER

COMPLETELY SOLUBLE CHLORINE

monoklor powder dissolves rapidly in water to form clear sanitizing solutions.

DIRECTIONS

FOR SANITIZING MILK EQUIPMENT

Surfaces to be sanitized should be properly cleaned before application of the Monoklor Sanitizing Solution. Use Sep-Ko for hand washing and Super Ream for mechanical cleaning.

TO SANITIZE NON-POROUS SURFACES: Such as Stainless Steel or Glass use 100 ppm Available Chlorine. Sanitizing solution should remain in contact with all surfaces for at least 2 minutes where the temperature is 75° F. or higher. At lower temperatures the contact time should be doubled. Where testing facilities are available, do not allow the strength to fall below 50 ppm. Follow with adequate draining to comply with Federal Food Additive Reg. 121.2547.

TO SANITIZE POROUS SURFACES: Such as wooden floors, wood platforms and tabletops use a solution of 800 ppm Available Chlorine. Use dilutions providing over 100 ppm Available Chlorine must be followed by adequate rinsing with potable water on all surfaces to come in contact with food.

DO NOT REUSE MONOKLOR Sanitizing Solutions for bactericidal purposes.

½ oz. to 3 Gals. . . 100 ppm Available Chlorine
1 oz. to 3 Gals. . . 200 ppm Available Chlorine
1 oz. to 3 Quarts . 800 ppm Available Chlorine

NOTE: 1 level teaspoonful MONOKLOR POWDER equals ½ ounce.

Keep covered when not in use. Store in cool, dry place.

ACTIVE INGREDIENTS:

Sodium dichloro-S-triazene triene 14.5%
(Monosodium Salt Dichloroisocyanuric Acid)

INERT INGREDIENTS 85.5%

100.0%

Available Chlorine not less than 8.0%
U.S.D.A. Registration No 4524-8.

DIRECTIONS

FOR SANITIZING EATING AND DRINKING UTENSILS

1. Scrape and prewash utensils and glasses whenever possible.
2. Wash with Sep-ko or other compatible cleaner.
3. Rinse with clean water.
4. Sanitize in solution of ½ oz. MONOKLOR POWDER to 3 gals. water (100 ppm).
5. Immerse utensils at least 2 minutes or for contact time specified by governing sanitary code.
6. Place sanitized utensils on rack or drainboard to air dry.

DO NOT REUSE POLY LINER — DESTROY WHEN EMPTY

SEP-KO CHEMICALS, INC.

Minneapolis, Minnesota 55421

Authorized for use under USDA Consumer & Marketing Service Inspection Program for

NET WEIGHT

Poultry, Meat, Rabbit & Egg Products Plants.

25 POUNDS

SC495