JAN 2 1 1986

H. B. Fuller Co. Monarch Division 3900 Jackson Street NE. Minneapolis, MN 55421

Gentlemen:

Subject: Honarch 400 Sanitizer

FPA Registration No. 4524-22

Your Submission of December 23, 1985

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,

Product Manager (32)

Disinfectants Branch

Registration Division (TS-767C)

Enclosure

86904:Laird:C-2:KENCO:1/16/86:1/27/86:DKD:VO

CONCURRENCES

STMBOL DATE

DATE

EPA forn: 1320 1 (4 8)

OFFICIAL FILE COPY

DIRECTIONS FOR USE

Company of the fact of the

It is a violation of Federal law to use the product in a manner inconsistent with its labeling

DILUTION DIRECTIONS Dilute Monarch 400 Samitizer at 1 ounce to 5 gallons of water (provides at least 200 ppm dodecylbenzene sulfonic acid). When used at levels less than 400 ppm dodecylbenzene sulfonic acid Monarch 400 Samitizer does not require a potable water rinse in accordance with 21CFR 178.1010.

Monarch 400 Sanitizer does not lose effectiveness in hard water MONARCH 400 SANITIZER FOR DAIRY INDUSTRY AND FOUD PROCESSING PLANTS: For sanitizing stainless steel, glass, and other food contact surfaces used in pipelines, fittings, pumps, freezers, vats, silos, tanks, closed systems and food processing equipment. Remove gross food particles and soil by flushing, scraping or brushing. Preclean all surfaces with a chlorinated-alkaline cleaner. Rinse with potable water prior to application of sanitizing solution. Apply sanitizer by flooding, spraying or immersing equipment. For closed system sanitizing, fill pipeline with sanitizing solution. Thoroughly wet all surfaces. Contact time of at least 1 minute required followed by adequate draining. Fresh solution should be prepared daily or when use solution becomes visibly dirty. For mechanized applications, do not recirculate solution.

Monarch 400 Sanitizer is authorized by the USDA for use in Federally inspected meat and poultry plants

APPLICATION

Recommended as a sanitizing rinse for pre-cleaned glassware and utensils in bars, restaurants, hotels and hospitals.

PREPARATION

Remove gross soils by flushing with water, scraping or brushing. Washall surfaces. Rinse thoroughly with potable water.

DIRECTIONS FOR USE (GLASSES, DISHES OR UTENSILS) To sanitize previously cleaned glassware and utensils, dip in a solution of 1 ounce sanitizer to 5 gallons of water. Provides 200 ppm dodecylpenzene sulfonic acid. Allow at least 2 minutes contact time. Remove and allow to air dry. Potable water rinse not required (21 CFR 178.1010).

fresh solutions should be prepared daily or when solution appears dirty. Init product is effective in hard witer.

Monarch

400 SANITIZEF

Active ingredients:

Phosphoric Acid Sodium dodecylbenzene sulfonates

Inert Ingredients

Contains Detergent Materials

E P A REG NO 4524-22 E P A EST NO 4524-MN-1

WARNING

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

H.B. Fuller Company Monarch Division

> 3900 Jackson Street N.E. Minneapolis, MN 55421

> > Taken Taken

NET CONTENTS:

Liters)

45.00%

11 00%

44 00%

100 00%

in

Function

85 anim

Under