

ACTIVE INGREDIENTS:

alpha (p Nonylphenyl)-omega-hydroxypoly (oxyethylene) iodine complex.....18.05%
(Providing 1.75% titratable iodine)

Phosphoric Acid.....16.00%

INERT INGREDIENT65.95%

Total 100.00%

Manufactured for: *Boycosol* (Trade Name) - Registered U.S. Patent 2,727,777

manufactured by:

Boycos Industries

P. O. Box 476

Greenville, South Carolina 29615

EPA Registration No. 10532-5 **NET CONTENTS: ONE GALLON U.S.**

DANGER: Keep Out Of Reach Of Children

I-BAC

IODINE DISINFECTANT

I-BAC.....has its own built in indicator of germicidal activity. When the amber color disappears, a fresh solution should be prepared. This product is not adversely affected by water hardness or low temperatures. This product is Tuberculocidal at a dilution of 3 ounces to 5 gallons of water.

DIRECTIONS FOR USE:

For general cleaning and disinfecting in one operation, use 3 ounces of I-BAC to 5 gallons of water. For porous or extremely dirty surfaces, use 6 ounces to 5 gallons of water. For sanitizing previously cleaned surfaces, use 1 ounce of I-BAC in 5 gallons of water.

HOSPITALS:

Use as recommended above in animal rooms and cages, cafeterias, morgues, laboratories, operating areas, patient rooms, bedframes, walls and floors, thermometers, instruments, rubber gloves, tubing & catheters. Allow at least 10 minutes contact time. Rinse all food handling surfaces with potable water before reuse. Before disinfecting, instruments should be cleaned to remove all adhering blood and serous exudates.

Commercial Buildings, Institutions, and General Housekeeping:

Use 3 ounces of I-BAC to 5 gallons of water for cleaning and disinfecting floors, walls, lavatories, shower rooms, refuse containers, kitchen areas, and lunch rooms. Rinse all food handling equipment with potable water before reuse.

FOOD PLANTS:

To sanitize previously cleaned food processing equipment and utensils, use 1 ounce of I-BAC to

5 gallons of water. Allow to drain but do not rinse. When used at this dilution (1:640), I-BAC does not require a potable water rinse, in accordance with the Federal Food Additive Regulation 121.2547.

DANGER:

CORROSIVE. CAUSES EYE DAMAGE AND SKIN IRRITATION. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND DISCARD IT.