

# Monarch<sup>®</sup>

# SK 0360

# I-BAC<sup>®</sup>

### DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THE PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

**I-BAC** is a concentrated product and must be diluted before using. Recommended for use on pre-cleaned, hard non-porous, environmental surfaces in food processing, milk manufacture and dairy farms.

**PREPARATION:** Remove gross soils by flushing with water, scraping or brushing. Pre-clean all surfaces. Rinse thoroughly with potable water.

**SANITIZING HARD NON-POROUS SURFACES:** (glass or stainless steel, pipelines, sills, processing vats, bulk tanks and utensils). To sanitize previously cleaned equipment and utensils dip, brush, or spray equipment with a solution of **I-BAC** at 1 ounce to 5 gallons of water. Provides 25 ppm titratable iodine. Allow at least 2 minutes contact time. Allow equipment to drain well, blow or air dry. Do not rinse.

Fresh solutions should be prepared daily or when solution appears dirty. For mechanical applications, used sanitizing solutions may not be reused for sanitizing applications.

#### FOR HAND SANITIZING DIP

1. Wash hands thoroughly with soap and water.

2. Rinse hands thoroughly.

3. Dip hands in a solution containing **I-BAC** at the rate of 1/2 ounce per 5 gallons of water. This solution provides 12 1/2 ppm titratable iodine.

**EGG SANITIZING:** Eggs must first be washed with an approved cleaning compound, followed by a potable water rinse.

**EGGS FOR BREAKING:** Washed and rinsed eggs shall be spray rinsed, not immersed, with a concentration of not less than 12 ppm or not more than 25 ppm titratable iodine.

**EGGS FOR PACKING:** Washed and rinsed eggs shall be spray rinsed, not immersed, with a concentration of not less than 12 ppm or not more than 25 ppm titratable iodine.

**UDDER WASHING:** Approximately one minute before applying milking unit, wash and massage teats with a clean paper towel wetted with a solution of **I-BAC** 1/2 ounce to 2 1/2 gallons of water at 110°F. Provides 25 ppm titratable iodine. Never reuse towels or dipa used lower back into solution. Always use freshly prepared solutions and non-corrodable utensils.

**I-BAC** is authorized by U.S.D.A. for use in federally inspected meat and poultry plants.

**IMPORTANT:** Our only obligation shall be replace or pay for any material proven defective. Beyond the purchase price of materials supplied by us, we assume no liability for damages of any kind and the user accepts the product "as is" and without warranties, expressed or implied. The suitability of the product for an intended use shall be solely up to the user.

#### Active Ingredients

Iodine 16.00%

Phosphoric Acid 16.00%

Inert Ingredients 68.00%

\*From: Alpha-(p-phenylphenyl)-omega-hydroxyethyl polyoxyethylene alcohol complex.

EPA Reg. No. 4524-30

EPA Reg. No. 4524-30

EPA Reg. No. 4524-30

EPA Reg. No. 4524-30

EPA Est. No. 4524-MN-1

EPA Est. No. 4524-NY-1

EPA Est. No. 4524-CA-2

EPA Est. No. 4524-NC-1

Precautionary Statements - Hazards to Humans and Domestic Animals

**KEEP OUT OF REACH OF CHILDREN**

**DANGER:**

**CORROSIVE — CAUSES SEVERE EYE AND SKIN DAMAGE**

Do not get in eyes, on skin or on clothing. Wear goggles and rubber gloves when handling. Harmful if swallowed. Prevent contamination of food. Prevent breathing spray mist. Consult material safety data sheet for additional information.

**CONSULT MATERIAL SAFETY DATA SHEET FOR ADDITIONAL INFORMATION. FOR INDUSTRIAL USE ONLY**

Medical personnel familiar with Monarch products are available 24 hours a day, 7 days a week. Toll-free medical emergency number **1/800-228-5635**

**STATEMENT OF PRACTICAL TREATMENT:** In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink large quantities of water. Do not induce vomiting. Avoid alcohol. Call a physician immediately.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

#### STORAGE AND DISPOSAL

**STORAGE:** Store away from heat and flames. Protect from freezing.

**PROHIBITIONS:** Do not contaminate water, food or feed by storage or disposal. Open dumping prohibited.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL — PLASTIC CONTAINERS:** Triple rinse or equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**GENERAL:** Consult federal, state or local disposal authorities for approved alternative procedures.

**KEEP FROM FREEZING. MIX ONLY WITH WATER — DO NOT MIX WITH SOLUTIONS CONTAINING ALKALINE**



H.B. Fuller Company  
Monarch Division

3900 Jackson Street, Northeast  
Minneapolis, Minnesota 55421

## NET CONTENTS

## GAL.

Form 8005B-1287

RECEIVED  
16 NOV 1983  
4524-30