

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

CLX is a concentrated product and must be diluted before using. Recommended use on pre-cleaned, hard non-porous, environmental surfaces in food process milk manufacturing and dairy farms.

PREPARATION: Remove gross soils by flushing with water, scraping or brushing. Pre-clean all surfaces. Rinse thoroughly with potable water.

SANITIZING HARD NON-POROUS SURFACES (glass or stainless, fillers, pipelines, silos, processing vats, bulk tanks and utensils): To sanitize previously cleaned equipment and utensils dip, brush, or spray equipment with a solution of CLX at 1 ounce to 45 gallons of water. Provides 100 ppm available chlorine. Allow at least 2 minutes contact time. Allow equipment to drain well, blow or air dry. Fresh solutions should be prepared daily or when solution appears dirty. For mechanical applications, used sanitizing solutions may not be reused for sanitizing applications.

EGG SANITIZING: Eggs must first be washed and rinsed with an approved egg cleaning compound.

EGGS FOR BREAKING: Washed eggs shall be spray rinsed, not immersed, with a concentration of not less than 100 ppm or not more than 200 ppm of available chlorine.

EGGS FOR PACKING: Washed eggs shall be spray rinsed, not immersed with a concentration of not less than 50 ppm or not more than 200 ppm of available chlorine.

SWIMMING POOL CHLORINATION: Maintain 0.6 to 1.0 ppm available chlorine in pools at all times. NOTE: 1 oz. of CLX in 10,000 gallons water will increase chlorine residual by about 0.5 ppm. Super Chlorinate every week in hot weather (above 80°F) with 2-3 times daily dosage.

Adjust pool pH to 7.2-7.6 and Alkalinity to 80-100 ppm. Use chlorine, pH and Alkalinity test kits daily and adjust residual to meet above specifications.

Caution: 1 oz. in 45 gallons water = 100 ppm Chlorine

Always use freshly prepared solution.

Mix only with water. Do not mix with acids.

FULL-SAN

CLX

Concentrated Chlorine Powder

DEODORIZES, SANITIZES, BLEACHES FOR
Food Plants, Dairies, Egg Processing, Swimming Pools

ACTIVE INGREDIENTS
Sodium Dichloro-S-Triphosphonate
Available Chlorine

KEEP OUT OF REACH OF CHILDREN
DANGER:

(See Side Panel For

Additional Precautionary Statements)

E.P.A. Reg. No. 4524-42

E.P.A. Est. No. 4524-CA-02



H.B. Fuller Company
Monarch Division

3900 Jackson Street, N.E.
Minneapolis, Minnesota 55421

NET CONTENTS: LBS.

Precautionary Statement
Hazards to Humans and Domestic Animals
KEEP OUT OF REACH

CAUTION

Irritant to eyes and mucous membranes, on skin or on clothing.

Avoid breathing

Strong oxidizing agent. Mix only with moisture, organic material or other chemical reaction with generation of hazardous gases and possible fire. In case of contamination or spill, isolate container, flood with large volume of water. Flush eyes or skin with plenty of water. If swallowed, give large quantity of water. Consult physician.

NOTE TO PHYSICIAN: Probable mucous membrane irritation. May cause shock, respiratory depression and coma.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by spilling or leaking.

PESTICIDE DISPOSAL: Pesticide products and water that contain them must be disposed of according to local, state or federal laws.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then reuse for non-hazardous liquids only. Do not reuse for food or feed.

GENERAL: Consult Federal, State and local authorities for disposal.

BEST AVAILABLE COPY

CLX is a
seal
with

PREPAR
Preclean
SANITIZI
silos, p
equipment
ounce to
minutes
Fresh so
mechanic
ing applic
EGG SAN
cleaning
EGGS FOI
concentra
chlorine
EGGS FOI
concentra
chlorine
SWIMMIN
chlorine in
crease chl
weather (a
Against po
ally it
(insects)
Always use
Mix only w

ACCEPTED
with COMMENTS
in EPA Letter Dated:

OCT 24 1985

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
4524-42

BEST AVAILABLE COPY