

BEST AVAILABLE COPY

ACCEPTED

JUL 29 1966

Under the Federal Insecticide, Fungicide, and
Rodenticide Act, as amended, for the
pesticide registered under
EPA Reg. No. 4524-42

Precautionary Statement
Hazards to Humans and Domestic Animals
KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye irritation. Do not get in eyes, on skin or on clothing. Wear goggles and rubber gloves. Harmful or fatal if swallowed. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Drink promptly a quantity of water; do not induce vomiting. Avoid alcohol. Seek medical attention.
If In Eyes: Flush with plenty of water for 15 minutes. Seek medical attention.
If On Skin: Wash with plenty of water. Get medical attention if irritation persists.

NOTE TO PHYSICIAN: Probable mucous membrane irritation. Contraindications: gastric lavage.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge into streams, ponds or public waters unless in accordance with EPA permit. For guidance contact your local health department.

PHYSICAL AND CHEMICAL HAZARDS

Strong oxidizing agent. Mix only with water. Do not add this product to any dispensing of any other product. Such use may cause fire or explosion. Contamination with other chemicals may start a chemical reaction. In case of contamination or decomposition, possible isolate container in open air or large volumes of water if necessary.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water. Open dumping is prohibited. Keep this product dry in a tightly closed container in a cool, dry, well-ventilated area away from sources of ignition. Isolate container (if possible) with plenty of water to dissolve all materials. Do not reuse empty container but place in food or feed by storage or disposal, or clean.

Monarch

CLX

Concentrated Chlorinating Powder

DEODORIZES, SANITIZES, BLEACHES FOR
Food Plants, Dairies, Egg Processing


ACTIVE INGREDIENTS:
Sodium Dichloro-s-Triazine
INERT INGREDIENTS:

E.P.A. Reg. No. 4524-42 E.P.A. Est. No. 4524-CA-02

KEEP OUT OF REACH OF CHILDREN

DANGER:

(See Side Panel For Additional Precautionary Statements)



H.B. Fuller Company
Monarch Division

3900 Jackson Street N.E.
Minneapolis, Minnesota 55421

NET CONTENTS: LBS.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

is a concentrated product and must be diluted before using. Recommended use on pre-cleaned, hard non-porous, environmental surfaces in food processing, meat manufacturing and dairy farms.

PREPARATION: Remove gross soils by flushing with water, scraping or brushing. Rinse all surfaces. Rinse thoroughly with potable water.

SANITIZING HARD NON-POROUS SURFACES (glass or stainless, filters, pipelines, processing vats, bulk tanks and utensils): To sanitize previously cleaned equipment and utensils dip, brush, or spray equipment with a solution of CLX at 1 to 45 gallons of water. Provides 100 ppm available chlorine. Allow at least 2 minutes contact time. Allow equipment to drain well. Blow or air dry.

In solutions should be prepared daily or when solution appears dirty. For normal applications, used sanitizing solutions may not be reused for sanitizing applications.

SANITIZING: Eggs must first be washed and rinsed with an approved egg washing compound.

USE FOR BREAKING: Washed eggs shall be spray rinsed, not immersed, with a concentration of not less than 100 ppm or not more than 200 ppm of available chlorine.

USE FOR PACKING: Washed eggs shall be spray rinsed, not immersed with a concentration of not less than 50 ppm or not more than 200 ppm of available chlorine.

1 oz. in 45 gallons water = 100 ppm chlorine.

Always use freshly prepared solution.

Only with water. Do not mix with acids.