

INSTRUCTIONS FOR HANDLING

Store at room temperature above 50° F. to prevent freezing and formation of a white solid or paste (Paraformaldehyde). If solution becomes cloudy or Paratormaldehyde separates out, the mixture frequently may be clarified by careful heating. Spills of solution may be neutralized with Aqua Ammonia (2%) and then washed with water.

DIRECTIONS FOR USE:

Disinfects, Deodorizes and Fumigates

Always remove gross filth and heavy soil deposits from surfaces prior to application of the recommended solutions. Recommended for use in garbage cans, poultry coops, dog houses, storage bins and other related farm and home areas. Use on floors, walls, woodwork, etc. Always rinse food contact surfaces with potable water after treatment.

As a disinfecting fumigant use 10 ozs. per 1,000 cubic feet of closed space, saturate sheeting or cloth with this material, then close room sealing all cracks for 24 hours. As a surface disinfectant use one part of product in 10 parts of water and apply so as to wet all surfaces thoroughly.

16 fluid ounces = 1 pint
2 tablespoonfuls = 1 fluid ounce
1 tablespoonful = 3 teaspoonfuls

Rinse empty container thoroughly with water and discard it.



FORMALDEHYDE

SOLUTION
NOT FOR DRUG USE

ANALYSIS BY WEIGHT

ACTIVE INGREDIENT, FORMALDEHYDE	37%
INERT INGREDIENTS	63%
Methyl Alcohol—Not to Exceed 15%	

CAUSES SEVERE IRRITATION OF SKIN, EYES, NOSE AND THROAT! DO NOT BREATHE VAPOR. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. MAY CAUSE EYE DAMAGE. IN CASE OF CONTACT, FLUSH WITH PLENTY OF WATER. FOR EYES, GET MEDICAL ATTENTION.


E.P.A. Reg. No. 4548-1
E.P.A. Est. No. 4548-MN-1

PACKED BY

**VAN WATERS & ROGERS
LYON CHEMICALS**

2313 WYCLIFF STREET, SAINT PAUL, MINN. 55114

16 FL OZ (1 PINT)



INSTRUCTIONS FOR HANDLING

Store at room temperature above 50° F. to prevent freezing and formation of a white solid or paste (Paraformaldehyde). If solution becomes cloudy or Paraformaldehyde separates out, the mixture frequently may be clarified by careful heating. Spills of solution may be neutralized with Aqua Ammonia (2%) and then washed with water.

DIRECTIONS FOR USE:

Disinfects, Deodorizes and Fumigates

Always remove gross filth and heavy soil deposits from surfaces prior to application of the recommended solutions. Recommended for use in garbage cans, poultry coops, dog houses, storage bins and other related farm and home areas. Use on floors, walls, woodwork, etc. Always rinse food contact surfaces with potable water after treatment.

As a disinfecting fumigant use 10 ozs. per 1,000 cubic feet of closed space, saturate sheeting or cloth with this material, then close room sealing all cracks for 24 hours. As a surface disinfectant use one part of product in 10 parts of water and apply so as to wet all surfaces thoroughly.

16 fluid ounces ----- = 1 pint
2 tablespoonfuls ----- = 1 fluid ounce
1 tablespoonful ----- = 3 teaspoonfuls

Rinse empty container thoroughly with water and discard it.



FORMALDEHYDE

SOLUTION
NOT FOR DRUG USE

ANALYSIS BY WEIGHT

ACTIVE INGREDIENT, FORMALDEHYDE	37%
INERT INGREDIENTS	63%
Methyl Alcohol—Not to Exceed 15%	

CAUSES SEVERE IRRITATION OF SKIN, EYES, NOSE AND THROAT! DO NOT BREATHE VAPOR. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. MAY CAUSE EYE DAMAGE. IN CASE OF CONTACT, FLUSH WITH PLENTY OF WATER. FOR EYES, GET MEDICAL ATTENTION.

E.P.A. Reg. No. 4548-1
E.P.A. Est. No. 4548-MN-1

PACKED BY

**VAN WATERS & ROGERS
LYON CHEMICALS**

2313 WYCLIFF STREET, SAINT PAUL, MINN 55114

16 FL. OZ. (1 PINT)

FIRST AID TREATMENT
Call A PHYSICIAN AT ONCE
IF SWALLOWED: Give tablespoonful
of salt in a glass of warm water and
until vomit fluid is clear. Give milk
or white of egg beaten with water.

FIRST AID
4548-1

 **POISON** 

KEEP OUT OF REACH OF CHILDREN
DANGER:

SEE ANTIDOTE AND OTHER PRECAUTIONARY
STATEMENTS ON BACK PANEL.