

**CLEANS—SANITIZES
REMOVES MILKSTONE**

Grid-10 is especially formulated and recommended as a multi-purpose dairy cleaner. Daily use of Grid-10 will sanitize and control milkstone build-up on all milking equipment and utensils. No other product is necessary to remove milkstone.

CLEANING BULK MILK TANKS: As soon as possible after milk has been removed from tank, rinse tank with cold water. Place 4 gallons warm water (120°F) in tank. Add one ounce (2 tablespoons) Grid-10 to water in tank. Scrub tank, mixers, covers and bridge, then drain.

Another convenient and economical way to clean the bulk milk tank with Grid-10 is to mix 1 ounce in 4 gallons warm water in a plastic pail. Place the pail on the bottom of the tank. Scrub the tank, dipping brush in pail frequently.

CLEANING MILKING EQUIPMENT: Mix 1 ounce (2 tablespoons) Grid-10 in 4 gallons warm water. Scrub utensils and rinse. Hang equipment on rack to dry. It is not necessary to rinse utensils with potable water prior to re-use.

INFLATIONS: Mix 1 ounce (2 tablespoons) Grid-10 in 4 gallons warm water. Scrub or brush inflations, getting all surfaces thoroughly. It is frequently desirable to soak inflations for 1-2 hours in a mixture of 1 ounce Grid-10 to 2 gallons warm water. After this soaking, rinse and allow inflations to dry.

DISPOSAL OF EMPTY CONTAINER: When empty, rinse bottle thoroughly with water and discard container. Do not re-use this container for any purpose.


$\frac{1}{\text{OZ.}}$

$\frac{2}{\text{OZ.}}$

$\frac{3}{\text{OZ.}}$

$\frac{4}{\text{OZ.}}$

$\frac{5}{\text{OZ.}}$



WAR **VAN WATERS & ROGERS**
LYCO CHEMICALS
St. Paul, Minn. 55114

Active Ingredients n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈) dimethyl benzyl ammonium chlorides.....	5.0%
n-Alkyl (C ₁₂ 68%, C ₁₄ 32%) dimethyl ethylbenzyl ammonium chloride.....	5.0%
Phosphoric Acid.....	30.0%
Inert Ingredients*.....	60.0%
	<hr/> 100.0%

*The inert ingredients represent efficient cleaning agents.

6 FL.OZ.

SAMPLE NOT FOR SALE

SANITIZE MILK UTENSILS BEFORE MILKING: Just before milking, prepare a sanitizing solution using Grid-10 according to use dilution directions. Sanitizing solution must be in contact with utensils for at least 2 minutes. Rinse all milking utensils, inflations, and equipment in the sanitizing solution. It is not necessary to rinse utensils with potable water prior to re-use. Use a fresh solution of the same concentration to wash the cow's udder and teats. Use a clean single service towel for each animal. Do not dip used towels back into solution.

USE DILUTION DIRECTIONS

For 200 ppm sanitizing solution (1:500 approx. dil.) mix one ounce (2 tablespoons) Grid-10 in 4 gallons warm water. (ppm refers to active quarternary ammonium chlorides).

Consult your local milk inspector or health officer for recommendations on the use of this product in his program.

**DANGER: KEEP OUT OF THE
REACH OF CHILDREN**

See "DANGER" on Side Panel

**See First Aid and other precautions
on right panel**

DANGER: Keep out of reach of children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Technigraph
CORPORATION