

LBS. NET WEIGHT

MALATHION W-25

25% WETTABLE POWDER

COMPOSITION

ACTIVE INGREDIENT:

*Malathion	-----	25%
INERT INGREDIENTS	-----	75%
TOTAL	-----	100%

*O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate

CAUTION

KEEP OUT OF REACH OF CHILDREN

HARMFUL IF SWALLOWED.

AVOID PROLONGED BREATHING OF DUST OR SPRAY MIST.

AVOID REPEATED OR PROLONGED CONTACT WITH SKIN; WASH THOROUGHLY AFTER USING.

AVOID CONTAMINATION OF FEED AND FOODSTUFFS.

HIGHLY TOXIC TO FISH. DO NOT CONTAMINATE ANY BODY OF WATER, BY DIRECT APPLICATION, CLEANING OF EQUIPMENT OR DISPOSAL OF WASTES AND CONTAINERS.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Burn or bury containers; never re-use. Stay out of smoke and fumes.

USDA Registration No. 4581-18

NOTICE

Pennwalt Corporation warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use, subject to the risks referred to therein. Pennwalt Corporation makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY, and no agent of Pennwalt Corporation is authorized to do so except in writing, with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or values.



AGRICULTURAL CHEMICALS

TACOMA, WASHINGTON

OAK BROOK, ILL.

MONTGOMERY, ALA.

FRESNO, CALIF.

PHILADELPHIA, PA.

WENATCHEE, WASH.

YAKIMA, WASH.

ACCEPTED
 9-3-69
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC POISON REGISTERED
 UNDER NO. 4581-18

DIRECTIONS FOR USE

CROP	PESTS	DOSAGE PER 100 Gal. Water	REMARKS
APPLES	Aphids	2 to 2 1/2 lbs.	Make one or more applications as needed. Use at least 2 applications 10 to 12 days apart during summer months. Do not apply later than 3 days before harvest.
	*Spider Mites	2 to 2 1/2 lbs.	
PEARS	*Pear Psylla	2 to 2 1/2 lbs.	Make one or more applications as needed. Use at least 2 applications 10 to 12 days apart during summer months. Do not apply later than 1 day before harvest.
	*Spider Mites	2 to 2 1/2 lbs.	
ORNA- MENTALS	Black Scale Crawlers Soft Brown Scale Monterey Pine Scale Juniper Scale Fletcher Scale Aphids, Thrips, Lygus, Whitefly *Spider Mites, Mealy Bugs, Leafhopper	6 lbs. 6 lbs. 6 lbs. 6 lbs. 3 lbs. 2 1/2 lbs.	Make a thorough full coverage. Spray after the crawlers have settled on the foliage. Apply as needed.
	Horn Fly	16 to 24 lbs.	
POTATOES	Aphids	2 1/2 lbs.	Apply as needed.
CABBAGE, BROCCOLI, KALE, MUSTARD, TURNIPS	Aphids Cabbage Looper Cabbage Worm	2 lbs.	Make no application within 7 days of harvest on cabbage, kale and mustard. Make no application within 3 days of harvest on broccoli or turnips.
TOMATOES	Aphids *Spider Mites	2 lbs.	Apply as needed. Make no applications on tomatoes later than 1 day before harvest.

*MALATHION W-25 is not suggested for control of phosphate-resistant mites or pear psylla.